

## www.echo-usa.com



MECHO

MECHO







## 

# Ask any landscape pro or arborist, "Who makes the most powerful and dependable outdoor power equipment?" and they'll say, "ECHO" and "ECHO Bear Cat".

ECHO Incorporated was founded in Northbrook, IL, in 1972 as Kioritz Corporation of America and established under its present name in 1978,

moving to Lake Zurich, IL in 1985. ECHO originally imported high-performance 2-stroke engines and 2-stroke, engine-powered handheld products for Kioritz Corporation of Japan. Over time, ECHO developed engineering and manufacturing techniques that became the impetus for the company's advancement.



Today, ECHO continues to manufacture high performance, handheld outdoor power equipment for industry professionals and discerning homeowners and is the technological innovator in the industry. ECHO is the only 2-stroke engine-producing company that possesses all manufacturing capability in-house. Using only commercial-grade components, ECHO equipment is certified to the EPA's highest engine emission durability

rating available - 300 hours. That means the ECHO products in your tool trailer or garage will last and last, well beyond those of competitive brands who cannot achieve similar ratings.


And with the acquisition of Bear Cat Chippers and Chipper/Shredders,

ECHO and ECHO Bear Cat are the industry's most reliable source for the best in tree care equipment. Through unparalleled engineering standards and patented manufacturing techniques, ECHO and ECHO Bear Cat will remain the industry leaders... just ask any pro!

# WHO IS ECHO? ASK ANY PRO?

## **INDUSTRY FIRSTS**

**Innovation, Not Imitation...** ECHO has been a leader in the industry for over 30 years and has consistently been the technological innovator – never the product imitator. ECHO industry firsts include, among others, the following developments:



#### 800.432.ECH0

## ///*╡ᠲ¦[י*]

R	
yea	r er
Consum Warran	ty putti


#### **5 YEAR CONSUMER WARRANTY**

ECHO Outdoor Power Equipment is the best built in the industry and now ECHO is ng its money where its manufacturing is and

offering a 5-YEAR CONSUMER WARRANTY on all engine-driven products. Visit www.echo-usa.com/5year to learn more. There are also components of every model that carry a lifetime warranty. Details can be found in the respective product sections throughout this catalog.

	INTRODUCTION	2 - 5
	CHAIN SAWS	6 - 11
	QUIKVENT™ SAWS	12 - 13
	POWER PRUNERS®	14 - 17
	TRIMMERS	18 - 25
	BRUSHCUTTERS	26 - 29
	TRIMMER & BRUSHCUTTER ACCESSORIES	30 - 33
	PRO ATTACHMENT SERIES™	34 - 39
	EDGERS	40 - 43
3	BLOWERS	44 - 49
	MOSQUITO YARDSHIELD™	50 - 51
	SHRED 'N' VAC®	52 - 53
	HEDGE TRIMMERS	54 - 57
	SPRAYERS	58 - 61
	TILLER/CULTIVATOR	62
	CUT-OFF SAWS	63
	EARTH AUGER	64
	ENGINE DRILLS	65
	WATER PUMP	66
	ECHO OIL	67
	ACCESSORIES	68 - 71









#### ECHO ADVANTAGES AND PRODUCT ICON EXPLANATIONS

ECHO has proven time and time again that it is the technological innovator in the outdoor power equipment industry. The following product advantages are ECHO exclusives, and each one is designed and engineered into the most reliable and highest certified equipment available. Look for the following icons referenced on individual models throughout the catalog.

#### Power Boost<sup>™</sup> Engine Technology

Many in the industry said a 2-stroke engine couldn't be designed that would meet EPA



and CARB emissions standards and still provide the performance demanded by commercial landscapers. ECHO's Power Boost™ Tornado engine technology proved them wrong. With this engine, you get tomorrow's technology today – without compromise. All Power Boost Tornado™ engine products are backed by the industry's most rock solid warranty and carry 300-hour useful life ratings.



#### i-start<sup>™</sup> Starting Technology

The i-start<sup>™</sup> family of starting technologies leads the industry in reducing starting effort. These patented systems are available on a variety of ECHO products. The revolutionary i-75<sup>™</sup> system reduces the effort normally required to pull-start the engine by over 75%! And i-30<sup>™</sup> starting technology reduces starting effort by 30%. You will appreciate the simplicity and ease of use that i-75<sup>™</sup> and i-30<sup>™</sup> deliver start after start.

## 

Tired of the frustration that occurs from winding trimmer line? With Rapid-Loader™, there's no more mess or fuss. Just insert precut sections of line into the trimmer head and you're ready to go. Rapid-Loader™ heads are available in twoline and three-line configurations and will accept line diameters from .095" to .130" for engine models under 25 cc and up to .155" for engine models over 25 cc. Available for all ECHO Trimmers and most non-ECHO trimmers, Rapid-Loader™ makes line changes "lightning fast!"

#### RazorEdge™ Hedge RAZOR Trimmer Blades EDGE

ECHO's advantages aren't solely related to engine technologies. The RazorEdge™ blades are the sharpest and longest lasting around. The blades are precision-ground and laser cut for the ultimate sharpness resulting in quicker, cleaner cuts. And their sharpness will last and last well beyond that of traditional blades.



#### G-Force Engine Air Pre-Cleaner™

The G-Force Engine Air Pre-Cleaner™ is available on select ECHO chain saws. Before entering the air filter, engine air is spun around and around eliminating dirt and debris. This flow of air causes cleaner air to pass through the filter thereby increasing maintenance intervals and creating a longer-lasting engine. A longer-lasting engine means a longer-lasting product.



#### Power Blend® XTended Life™ Oil

Power Blend® XTended Life™ is synthetic blend oil that starts with an organic base and is certified for use in all air-cooled, 2-stroke, outdoor power equipment engines. It meets and exceeds ISO-LEGD and JASO M345/FD requirements and has superior cleaning capabilities while minimizing exhaust port blockage.

#### U Turn™



The U Turn<sup>™</sup> Trimmer Head allows you to reload a spool in seconds! Just insert a length of line into the holes on the side of the spool drum and twist the line onto the spool. One quick snip and you're ready to go. It's that simple! U Turn<sup>™</sup> trimmer heads will fit any ECHO SRM Series Trimmer.



#### Posi-loc<sup>™</sup> Pipe System

The ECHO Posi-loc™ pipe system ensures a secure pipe connection at all times. A series of grooves and ridges winds around adjoining pipes keeping sections connected. A simple twist of the lower pipe is all it takes to lock or unlock a section.



#### Power Boost Vortex™

Power Boost Vortex<sup>™</sup> is the latest in the long line of ECHO's engine achievements. Unheard-of clearance tolerances are enabled through patented machining techniques, thereby taking 2-stroke engine design to even greater efficiency and performance. These engines feature unsurpassed friction reduction, unrivaled heat dissipation, and incomparable acceleration. And, like every 2-stroke engine, a Power Boost Vortex<sup>™</sup> engine doesn't require oil changes or valve adjustments. It doesn't have the additional weight associated with other engine technologies, and it burns fuel more cleanly and more efficiently. The ingenuity is Low Friction Technology, and the innovation is Power Boost Vortex<sup>™</sup>.



#### **300-HOUR RATED PRODUCTS**

When you buy a premium brand, you expect professional-grade performance. Is that what you're getting? Everybody thought EPA emission requirements for 2005 and beyond would be the death of 2-stroke engines...FICTION. ECHO engines carry an 'A' category rating and are certified with the EPA to their highest useful life\* rating of 300 hours...FACT. What does the label on the other equipment in your tool trailer or garage say? Don't be confused by manufacturers who claim to produce professional-grade products, but rate their engines to the same 50 hours as disposable consumer products. ECHO delivers the highest level of useful life in every product. It's a FACT.

\*EPA uses the term "useful life," which is defined as "...when engine performance deteriorates to the point where usefulness and/or reliability is impacted to a degree sufficient to necessitate overhaul or replacement..." (U.S. Government, Code of Federal Regulations, Vol. 40, Chapter 1, Sec. 90.105, par. 5, §ii)



Comes with a 5 year consumer warranty.




## CHAMPIONING THE OUTDOORS

#### CONSERVATION

**SPORTS** 

Environmental conservation is a cornerstone of ECHO's corporate philosophy and we are proud to partner with like-minded organizations. ECHO is a corporate sponsor of Ducks Unlimited, and a supporter in the land management programs of Quail Unlimited and the National Wild Turkey Federation. Through a multi-year agreement known as Partners for Home and Habitat, ECHO and Ducks Unlimited educate consumers about the importance of habitat conservation while delivering useful information about home landscaping. ECHO is committed to providing equipment to maintain your home and support the preservation of others' habitat.

#### DUCKS UNLIMITED





Jamie Fischer: Men's Boom Run World Record – 12.47 seconds!

#### CHAIN SAW CARVING

ECHO has long been a supporter in the art of chain saw carving. The revolutionary ECHO Carving Team appears both collectively and individually at carving and special events across the US and the rest of the world. These four sculptors represent some of the best talent in the world. Visit



our web site to view biographies, appearance schedules, carving samples, and news about each carver on the ECHO Carving Team.

The ECHO Carving Team (from left to right) consists of: Mark Colp (Lakeport, CA), Mike Bihlmaier (Marengo, IL), Bob King (Edgewood, VVA), and Jason Emmons (St. Croix, IN).)

#### FULL THROTTLE ART - THE ECHO CHAIN SAW CARVING SERIES

The roar of chain saws and the pressure of competition are showcased as art, talent, endurance and champion carvers come together in this annual series of visually-exciting events. Award-winning sculptors compete against each other, and the clock, to carve objects out of wood – and reveal "what's in the trunk" – using only a chain saw. The ECHO Carving Series pits "pro-division" winners from different qualifying events against each other in a face-off at the ECHO Carving Series Championship. Viewers are constantly amazed at the skill and creativity these carvers wield at the tip of their chain saw. The 2008 Championship will take place at the Albuquerque International Balloon Fiesta, October 4 - 5, 2008. Check out ECHO's web site for more information on the Championship and view photos and videos from past Series.



2005 Champion Dayton Scoggins (Heidelberg, MS)



2006 Champion Bob King (Edgewood, WA)



2007 Champion Bob King (Edgewood, WA)



2008 Championship Albuquerque, NM





# TOUGH ASK ANY PRO

#### **PRO POINTERS**

- For best performance, remove bar and chain after use and clean bar mount area using a clean paintbrush.
- To keep your ECHO saw in top-operating condition, use ECHO Max Performance<sup>™</sup> bar and chain oil with added detergents, dispersants and tacifiers. It's specially formulated to reduce sap and tar build-up.

3HII



#### The Professional Choice of Power and Reliability.

All ECHO Chain Saws are built to tackle the toughest jobs. Whether you're pruning limbs, cutting firewood or taking down a whole tree, each ECHO Chain Saw is designed to provide long, trouble-free life. Superior quality begins with a high performance, 2-stroke engine and Pro-Fire<sup>®</sup> ignition system that ensure fast starts and smooth operation. Comfort and control are enhanced with vibration reduction technology and grouped controls that provide easy access to all saw functions. And all ECHO Chain Saws are certified to the highest level of useful life to ensure maximum value from your investment.





ECHO Quality Backed by an Extensive Warranty All ECHO Chain Saws feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.



## CS-306

ווין אין

Features rear handle control and 30.1 cc of power at an unbelievable value.

- 30.1 cc high performance, 2-stroke engine
- Standard 14" bar and chain with tip guard included
- Optional 12" bar and chain available
- Bumper spikes improve control for easier cutting
- Fuel capacity: 9.3 fl. oz.; oil capacity: 5.4 fl. oz.
- Weighs 7.5 lb (power head only)





A favorite of demanding users and professional arborists.

- 33.4 cc high performance, 2-stroke engine
- Standard 14" bar and chain with tip guard included
- Optional 12" and 16" bars and chains available
- Side access chain tensioner
- Automatic adjustable oiler
- Slope Advance Ignition System (SAIS2) automatically senses engine speed and advances ignition timing for optimum performance
- Lanyard ring



#### ECHO Quality Backed by an Extensive Warranty



All ECHO Chain Saws feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.

## CS-330MX4

High torque and a camo pattern for the outdoor enthusiast.

- ADVANTAGE<sup>®</sup> MAX-4<sup>™</sup> camouflage pattern for the outdoorsman
- 32.6cc Power Boost Vortex<sup>™</sup> engine
- G-Force Engine Air Pre-Cleaner<sup>™</sup> spins out dirt prior to filtration
- 14" bar and chain standard
- Easy access, rear-mounted air filter positioned away from dirt and debris
- Side access chain tensioner





## CS-330T

This top handle saw features high torque in a small, compact design.

- 32.6 cc Power Boost Vortex<sup>™</sup> engine
- Standard 14" bar and chain with tip guard included
- Optional 12" and 16" bars and chains available
- G-Force Engine Air Pre-cleaner™ spins out dirt prior to air filtration

GFORCE

• Easy access rear-mounted air filter positioned away from dirt and debris

POWIRBOOST

Side access chain tensioner

## CHAIN SAWS



## CS-360T

Providing more power, it's a perfect choice for demanding users and professional arborists.

- 36.3 cc Power Boost Vortex<sup>™</sup> engine
- Standard 16" bar and chain with tip guard included
- Optional 12" and 14" bars and chains available
- G-Force Engine Air Pre-cleaner™ spins out dirt prior to air filtration

GFORCE

• Easy access rear-mounted air filter positioned away from dirt and debris 0 W F R B 0 0 S 1

CS-370

Outstanding power and incredible features make it the best value in its class.

- 36.3 cc Power Boost Vortex<sup>™</sup> engine
- Standard 16" bar and chain with tip guard included
- Optional 14" and 18" bars and chains available
- G-Force Engine Air Pre-Cleaner™ spins out dirt prior to air filtration
- 30% reduction in starting effort

- Heavy-duty, easy-access, automotive-style air filter extends saw life
- Computerized ignition advance automatically adjusts engine timing



MEGHI

Adjustable, automatic chain oiling system regulates the amount of oil according to engine speed. As a result, the chain and bar remain properly lubricated at all times. Some models also have a manual override oiler.



An automotive-style air filter, which is standard on the CS-370, CS-400, CS-520 and CS-670, provides outstanding filtration and leads to longer engine life.

GFORCE V

841 H



### CS-400

#### Increased power and professional features.

- 40.2 cc Power Boost Vortex<sup>™</sup> engine
- Standard 18" bar and chain with tip guard included
- 16" bar and chain available
- G-Force Engine Air Pre-Cleaner<sup>™</sup> spins out dirt prior to air filtration
- 30% reduction in starting effort
- Heavy-duty, easy-access, automotive-style air filter extends saw life
- · Computerized ignition advance automatically adjusts engine timing

## FORCE

## CS-520

The perfect choice for firewood cutting and pulp operations.

- 50.1 cc high performance, 2-stroke engine
- Standard 20" bar and chain with tip guard included
- Optional 16" and 18" bars and chains available
- Replaceable bumper spikes improve control for easier cutting
- Slope Advance Ignition System (SAIS2)
- Heavy-duty, easy-access, automotive-style air filter extends saw life
- Side access chain tensioner





#### WWW.ECHO-USA.COM



## CHAIN SAWS

## CS-670

ECHO's most popular felling saw delivers excellent speed and reliability for enhanced productivity.

- 66.7 cc high performance, 2-stroke engine
- Standard 24" bar and chain with tip guard included Optional 16", 20" and 27" bars and •
- chains available
- Side access chain tensioner
- Replaceable bumper spikes improve control ٠ for easier cutting



ECHO's largest chain saw delivers professional quality, reliability and performance for your toughest applications. •

- 80.7 cc high performance, 2-stroke engine
- Standard 24" bar and chain with tip guard included Optional 20", 27", 32" and 36" bars and
- chains available
- Replaceable bumper spikes improve control for easier cutting





#### **ECHO Quality** Backed by an **Extensive Warranty**

All ECHO Chain Saws feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.

#### **CHAIN SAW SPECIFICATIONS**

Model	Engine Displacement (cc)	Engine Displacement (cu in)	Carburetor	Starter System**	lgnition Advance	Oiling System	Inertia-type Chain Brake	Standard Bar Length (in)	Optional Bar Lengths (in)	Fuel Capac- ity (fl oz)	Oil Capacity (fl oz)	UL & CSA Approved	Vibration Reduction System	Dry Weight <sup>***</sup> (lb)
CS-306	30.1	1.84	Diaphragm*	Standard	N.A.	Adjustable Automatic	Standard	14	12	9.3	5.4	Yes	Standard	7.5
CS-330T	32.6	1.99	Diaphragm	Standard	Standard	Adjustable Automatic	Standard	14	12, 16	10.5	9.8	Yes	Standard	8.1
CS-330- MX4	32.6	1.99	Diaphragm	i-30™	Standard	Adjustable Automatic	Standard	14	#	10.5	9.8	Yes	Standard	8.1
CS-341	33.4	2.04	Diaphragm*	Standard	Standard	Adjustable Automatic	Standard	14	12, 16	8.5	5.0	Yes	Standard	7.8
CS-360T	36.3	2.20	Diaphragm	Standard	Standard	Adjustable Automatic	Standard	16	12, 14	10.5	9.8	Yes	Standard	8.1
CS-370	36.3	2.20	Diaphragm*	i-30™	Digital	Adjustable Automatic	Standard	16	14, 18	13.9	9.5	Yes	Standard	10.0
CS-400	40.2	2.46	Diaphragm*	i-30™	Digital	Adjustable Automatic	Standard	18	16	13.9	9.5	Yes	Standard	10.1
CS-520	50.1	3.06	Diaphragm	Standard	Standard	Adjustable Automatic	Standard	20	16, 18	20.3	9.5	Yes	Standard	10.8
CS-670	66.7	4.07	Diaphragm	Standard	Standard	Adjustable Automatic	Standard	24	16, 20, 27	22.5	13.0	Yes	Standard	14.3
CS-8000	80.7	4.93	Diaphragm	Standard	Standard	Adjustable Automatic	Standard	24	20, 27, 32, 36	28.9	14.1	Yes	Standard	16.5

\* with purge pump

\*\* all feature a Pro-Fire® electronic ignition \*\*\* without bar and chain

# can accommodate 12" and 16" bars

## CHAIN SAWS





Chain Saw Carry Bag Durable nylon bag features compartments for oil and tools and a padded shoulder strap. Fits saws with up to 20" bars and chains. Part #103942147



**20" Bar & Chain Scabbard** Part #89850308033



**17" Bar & Chain Scabbard** Part #89850308032



Camouflage Chain Saw Carry Bag Durable nylon bag, in ADVANTAGE® MAX-4™ camo pattern for the outdoor enthusiast, features many compartments and a padded shoulder strap. Fits saws with up to 20" bars and chains. Part #103942148



ECHO Premium Protective Chaps ECHO Premium Protective Chaps are

manufactured using DuPont™ KEVLAR® material for superior strength and durability.

**36" KEVLAR® Chain Saw Chaps** Part #103942143

**40" KEVLAR® Chain Saw Chaps** Part #103942144



Chain Saw Case with Fixed Nose Fits saws up to 20" bar and chain. Part #99988801205



Chain Saw Case with Removable Nose Fits saws up to 16" bar and chain. Part #99988800207



**Top Handle Chain Saw Debris Shield** Prevents small debris from entering the chain saw's air intake. The small, plastic shield easily attaches with a tabcatch system over the existing air intake area of the ECHO CS-330T, CS-330MX4 and CS-360T models. Part #99988800307



#### Chain Saw Safety Manuals & Videos

Chain Saw Safety Manual Part #X752000020 ECHO Safety Video (DVD) Part #99922203905 Chain Saw Safety Video (VHS) Part #99922203753 Chain Saw Spanish Safety Video (CD) Part #99922203764 Chain Saw Spanish Safety Video (VHS) Part #99922203765 ECHO Spanish Safety Video (DVD) Part #99922203909



#### CHAIN SAW BARS AND CHAINS

Chain Saw Models	Bar Length/Type	Bar Part Number	Chain Part Number	Bar Gauge	Chain Pitch	Drive Link Count
CS-305/306	12" Micro-Lite	12A4CD3745	90SG-45G	0.043"	small 3/8"	45
CS-305/306	14" Micro-Lite	14A4CD3752	90SG-52G	0.043"	small 3/8"	52
CS-301/305/306/330T/	12"	12A0CD3745	91VG-45G	0.50"	small 3/8"	45
360T/341/346	12" Intenz™	12A0ZD3745	91VG-45G	0.50"	small 3/8"	45
CS-301/305/306/330T/	14"	14A0CD3752	91VG-52G	0.50"	small 3/8"	52
360T/370/341/346	14" Intenz ™	14A0ZD3752	91VG-52G	0.50"	small 3/8"	52
CS-301/305/306/330T/	16"	16A0CD3757	91VG-57G	0.50"	small 3/8"	57
360T/370/341	16" Intenz™	16A0ZD3757	91VG-57G	0.50"	small 3/8"	57
CS-330T/330MX4/360T"	12" Pro-91	12A0ED3745	91VG-45G	0.50"	small 3/8"	45
CS-330T/330MX4/	14" Pro-91	14A0ED3752	91VG-52G	0.50"	small 3/8"	52
360T/370"	16" Pro-91	16A0ED3757	91VG-57G	0.50"	small 3/8"	57
CS-370	18"	18A0CD3762	91VG-62G	0.50"	small 3/8"	62
CS-400	16" Pro-91	16A0ED3757	91VG-57G	0.50"	small 3/8"	57
	18"	18A0ED3762	91VG-62G	0.50"	small 3/8"	62
CS-440/510/520	16" Pro-Am	16A0AD3366	33SL-66G	0.50"	.325"	66
	18" Pro-Am	18A0AD3372	33SL-72G	0.50"	.325"	72
CS-510/520	16" Micro-Lite Pro	16A0MD3366	95VP-66G	0.50"	.325"	66
	18" Micro-Lite Pro	18A0MD3372	95VP-72G	0.50"	.325"	72
	20" Micro-Lite Pro	20A0MD3378	95VP-78G	0.50"	.325"	78
	20" Pro-AM	20A0AD3378	33SL-78G	0.50"	.325"	78
CS-670	16" PowerMatch	16D0PS3860	72LG-60G	0.50"	3/8"	60
CS-670/8000	20" PowerMatch	20D0PS3870	72V-70G	0.50"	3/8"	70
	24" PowerMatch	24D0PS3881	72lG-81G	0.50"	3/8"	81
	27" PowerMatch	27D0PS3893	72lG-93G	0.50"	3/8"	93
CS-8000	32" PowerMatch	32DOPS3805	72lG-105G	0.50"	3/8"	105
	36" PowerMatch	36DOPS3816	72lG-116G	0.50"	3/8"	116

TIP GUARDS

Chain Saw Model	Part Number
CS-300/301/305/306/340/341/345/346/ 330T/360T/370	2894901
CS-4400/440/5000/510/520/6700/670/8000	2893201



" My crews have used other chain-saw-style vent saws but prefer the ECHO QuikVent Saw for its unique design and reliable starting. Its light weight minimizes the load on the firefighter who's using it."

- Lt. Frank Ricci, Carpentersville, IL - Fire Department



Watch the QuikVent<sup>™</sup> saw in action at www.echo-usa.com/rescue

ASK ANY PRO



QuikVent™ kit is available with both QV-675 and QV-8050 models. Includes steel carrying case, 1 gal. U.S. Max Performance™ bar and chain oil, and 1 gal. U.S. safety gas can.

ECHO Quality Backed by an Extensive Warranty

All ECHO QuikVent<sup>™</sup> Saws feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.



QuikVent™ Carbide Tip Chain Loop (12")

Max Performance™ Bar and Chain Oil

QuikVent™ Bar (12")

QuikVent™ Storage Case

One Gallon Safety Gas Can

QuikVent™ Scabbard

(fl. oz.

13.0

15.2

Capacity (fl. oz.)

22.5

placement

4.07

# **OUIKVENT<sup>™</sup>SAWS**

#### The Preferred Ventilation Saw of Fire and Rescue Personnel.

ECHO's QV-670 and QV-8000 QuikVent<sup>™</sup> Ventilation saws are the preferred choice among fire and rescue personnel for quickly venting building structures. The patented droop nose feature eliminates the need to stand directly over the saw while cutting and it uses the saw's weight to more easily cut through angled roofs. The patented skid plate allows you to pivot the nose and carbide tip chain into a structure.

ECHO also offers a complete line of Cut-off Saws that are great for cutting concrete, cinder blocks and industrial building access.



## QV-670/QV-675

The 66.7 cc version is a top choice among fire/rescue personnel for ventilating building structures.

- Extra large, easy-grip starter handle
- External idle control adjustment
- Side access chain tensioner
- QV-675 includes steel carrying case, 1 gal. Max Performance™ bar and chain oil, and 1 gal. safety gas can



Part #99988800052 1 gal. bottle

## QV-8000/QV-8050

QUICKVENT<sup>IM</sup> ACCESSORIES

99988800045

99988800052

99988800141

99944700191

99988801011

99988801140

Model

QV-670

OUICKVENT<sup>™</sup> SPECIFICATIONS

 $(\alpha)$ 

66.7

Large 80.7cc engine makes it the preferred package among fire/rescue personnel for quickly ventilating building structures.

- ECHO's largest chain saw power head at 80.7 cc
- Superb power-to-weight ratio, lighter than most other • saws in its class
- QV-8050 includes steel carrying • case, 1 gal. Max Performance™ bar and chain oil, and 1 gal. safety gas can

#### WWW.ECHO-USA.COM









# EACHENG ASK ANY PRO

#### **PRO POINTERS**

- To ensure operator safety, never stand directly beneath the limb that is being cut.
- Always wear the proper safety gear when operating any equipment. Consult your Operator's and Safety Manuals for more information.

# POWER PRUNER®

#### Reach New Performance Heights with ECHO Power Pruners®.

Power Pruners<sup>®</sup> provide fast, easy and safe pruning for those hard-to-reach applications. The light-weight design and comfortable controls ensure maximum operator comfort. A new, heavy-duty gearbox features dual-sealed bearings, spiral cut steel gears and a manual grease port for maximum lubrication, durability and cutting performance. An adjustable oiler delivers the right amount of oil, every time, for exceptional chain lubrication. Chain tensioning system improves cutting performance and extends bar and chain life. Telescoping shafts and optional extensions provide added reach for cutting flexibility. ECHO Power Pruners<sup>®</sup> deliver commercial-grade performance and optimum tree care versatility.



Automatic, adjustable chain oiling system

Side access chain ensioning system for easier, safer chain tightening

Branch extractor for easy - removal of troublesome branches

Easy to grasp ergonomic handle with rubber over-mold for added

comfort and improved handling

7.6 fl oz oil reservoir with easy fill opening

Unique telescoping shaft

PPT-265 shown – see page 16 for more product information. , Durable gear case cover for increased longevity



High volume felt air filter maintains clean incoming air for longer engine life

> 25.4cc Power Boost Vortex™ engine for plenty \_\_\_\_\_ of cutting power



ECHO Quality Backed by an Extensive Warranty

All ECHO Power Pruners® feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.

## POWER PRUNER®


## PPF-210

עלקיני.

Fixed shaft Power Pruner<sup>®</sup> cuts tough jobs down to size.

- 21.2 cc Power Boost Vortex<sup>™</sup> engine
- Convenient carburetor purge pump for efficient starting
- 10" bar and chain features Oregon<sup>®</sup> Intenz™ side access chain tensioning technology
- 7' 8" long in normal use and up to 10' 8" with optional 3' extension
- Shoulder strap included





Increased power, professional features and extra long-reach cutting ability.

- 25.4cc Power Boost Vortex<sup>™</sup> engine
- Ergonomically designed handle with rubber over-mold
- Unique telescoping shaft provides up to 12'2" of length fully extended and up to 17'2" with optional 5' extension
- Shoulder strap included
- Side-access chain tensioner





#### Premium Power Pruner® Harness

Dual, padded shoulder harnesses distribute weight across the shoulders and waist and a movable carry hook provides support for the Power Pruner while in use or while transporting from cut to cut. Part #99944200203

800.432.ECH0

## **POWER PRUNER®**



Bar Part Number	Chain Part Number	Length
1080373301	1917033	8" Regular (91 Series)*
1100373901	1907039	10" Narrow (90 Series)*
1101373901	1917039	10" Regular (91 Series)*
1102373901	1917039	10" Oregon® Intenz™
1120374401	1907044	12" Narrow (90 Series)*
1121374401	1917044	12" Regular (91 Series)*
1122374401	1917044	12" Oregon® Intenz™
* 00 101 11		•

\* 90 and 91 series bars and chains are not interchangeable.

#### **POWER PRUNER® ACCESSORIES**

3' extension for PPF-210 Part #99946400010

5' extension for PPT-265

Part #99946400020



Hedger Accessory Part #99946400040 Part #99946400060 \* Retrofittable to all past telescoping and

dielectric (Model D) Power Pruners®

## ECHO Quality Backed by an **Extensive Warranty**

All ECHO Power Pruners® feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.

# POWER PRUNER®

#### **POWER PRUNER® SPECIFICATIONS**

Model	Engine Displace- ment (cc)	Engine Displace- ment (cu in)	Carburetor (w/Purge Pump)	Starting System	Fuel Capacity (fl oz)	Oil Capacity (fl oz)	Length Col- lapsed (in)	Length Extended (in)	Optional Extension (ft)	Bar Length (in)	Dry Weight* (lb)
PPF-210	21.2	1.29	Diaphragm	Standard	15.2	7.6	92	NA	3	10	12.1
PPT-265	25.4	1.55	Diaphragm	i-30™	16.9	7.6	107	146	5	12	17.4

\* Without bar and chain.

#### **Power Pruner® Safety Manuals and Videos**

Power Pruner® Safety Manual Part #X752000000 ECHO Safety Video (DVD) Part #99922203905

Power Pruner® Safety Video (VHS) Part #99922203100 ECHO Spanish Safety Video (DVD) Part #99922203909

2	French .	
	100	
	12 2	

Part #99946400050







WWW.ECHO-USA.COM



#### **PRO POINTERS**

DR

• For the best overall cutting performance, use ECHO's exclusive Cross-Fire® grass trimmer line.

ANCE Y PRO

- Always make sure to adjust the handle to the most comfortable position prior to operating any grass trimmer.
- When operating gas-powered equipment, be sure to wear the appropriate safety gear. Consult your Operator's and Safety Manuals for more information.




**Performance!** What else needs to be said about the world's finest commercial-grade trimmers? Our easy-to-use custom ergonomic controls, light-weight design, and super powerful Power Boost Vortex<sup>™</sup> and Power Boost Tornado<sup>™</sup> engine technologies give you the tools to enhance your productivity. Now you'll spend less time creating a lasting impression and more time enjoying increased productivity.



Rubber over-mold throttle control and front handle for all day comfort

25.4cc Power Boost Vortex  ${}^{\mbox{\scriptsize M}}$  engine with Pro-Fire  ${}^{\mbox{\scriptsize O}}$  ignition

for quick, easy starts



FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFETM OIL WITH EVERY TRIMMER

SRM-265T shown – see page 22 for more product information.

59" straight shaft with flex cable drive

Debris shield with integrated cut-off knife

Heavy-duty gear case with sealed bearings for longlasting durability





ECHO Quality Backed by an Extensive Warranty

All ECHO Trimmers feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the flexible cable drive, steel drive shaft, and ignition module.

\*Visit www.echo-usa.com/5year to learn more.



#### ECHO Quality Backed by an Extensive Warranty



All ECHO Trimmers feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the flexible cable drive, steel drive shaft and ignition module.

\*Visit www.echo-usa.com/5year to learn more.

## GT-251

A modern profile and advanced technology combine for best-in-class power and performance.

- 25.4 cc Power Boost Vortex<sup>™</sup> engine
- 52" curved shaft
- 30% reduction in starting effort
- Premium-grade felt air filter
- Heavy-duty, die-cast trimmer head bearing housing



## SRM-210

Straight shaft trimmer is perfect for medium-duty commercial applications.

- 21.2 cc Power Boost Vortex<sup>™</sup> engine
- 30% reduction in starting effort
- Commercial-grade felt air filtration
- Die-cast fan cover with heavy-duty vibration reduction system
- Edging-style front handle provides comfort and control
- 15.2 fl. oz. see-through fuel tank

BURABILITY R A T I N G

10001000001 1/3/010-1

## SRM-210 2

The Rapid-Loader™ head and i-75™ starter make it the easiest-to-use trimmer.

- 21.2 cc Power Boost Vortex<sup>™</sup> engine
- 75% reduction in starting effort
- 2-line Rapid-Loader™ trimmer head
- Commercial-grade felt air filtration
- Die-cast fan cover with heavy-duty vibration reduction system
- Edging-style front handle provides comfort and control



## SRM-210SB

Split boom design accommodates all Pro Attachment Series™ attachments.

- 21.2 cc Power Boost Vortex<sup>™</sup> engine
- 30% reduction in starting effort
- Various attachments turn this trimmer into an edger, hedge trimmer and more (pgs. 37–39)
- Commercial-grade felt air filtration
- Die-cast fan cover with heavy-duty vibration reduction system
- Edging-style front handle provides comfort and control

**1**/-30

DURABILITY B A T I N G

owie soos USN zhiek

 ECHOmatic Pro<sup>™</sup> trimmer head reduces line breakage, saves reloading time

#### Trimmer Heads and Line

ECHO's full line of trimmer accessories includes 11 different trimmer heads and both standard and premium line in all diameters.

For ECHO's full line of Trimmer Accessories, see pages 30–33.

## SRM-230

Outstanding power, durability and performance.

- 22.8 cc Power Boost Tornado™ engine
- Commercial-grade felt air filtration
- Heavy-duty engine vibration reduction system
  Edging-style front handle provides comfort
- and control
- Handle vibration reduction system
- 59", 4-layer flex cable drive
- ECHOmatic Pro<sup>™</sup> trimmer head reduces line breakage, saves reloading time



## SRM-230S

A steel drive shaft improves acceleration and is a favorite for commercial operators.

- 22.8 cc Power Boost Tornado<sup>™</sup> engine
- Commercial-grade felt air filtration
- Heavy-duty engine vibration reduction system
- Edging-style front handle provides comfort and control
- Handle vibration reduction system
- 59", 7 mm steel drive shaft
- ECHOmatic Pro<sup>™</sup> trimmer head reduces line breakage, saves reloading time

DURABILITY B A T I N G

DURABILITY B A T T N G

## SRM-265

Powerful performance, innovative features and superior design.

- 25.4cc Power Boost Vortex<sup>™</sup> engine
- 30% reduction in starting effort
- Extra heavy-duty engine vibration reduction mount and rubber over-mold handles
- Commercial-grade felt air filtration
- 59", 4-layer flex cable
- ECHOmatic Pro™ trimmer head



## SRM-2655 1

A steel drive shaft improves acceleration and reduces weight.

- 25.4cc Power Boost Vortex<sup>™</sup> engine
- 30% reduction in starting effort
- Extra heavy-duty engine vibration reduction mount and rubber over-mold handles
- Commercial-grade felt air filtration
- 59", 7mm steel shaft with self-lubricating bearings

NER BUUST

ECHOmatic Pro<sup>™</sup> trimmer head

#### ECHO Quality Backed by an Extensive Warranty



TRIMMERS



#### Extensive Warranty All ECHO Trimmers feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifeti

consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the flexible cable drive, steel drive shaft and ignition module.

\*Visit www.echo-usa.com/5year to learn more.

## SRM-265T

A top choice for the commercial operator looking for more torque.

- 25.4cc Power Boost Vortex<sup>™</sup> engine
- 50% more torque than the SRM-265
- 30% reduction in starting effort
- Extra heavy-duty engine vibration reduction mount and rubber over-mold handles
- Commercial-grade felt air filtration

DURABILITY B A T N G

• 59", 4-layer flex cable

POWIE DOUST

• ECHOmatic<sup>™</sup> trimmer head

## SRM-280

A new class of performance.

- 28.1cc Power Boost Vortex<sup>™</sup> engine
- Extra heavy-duty engine vibration reduction mount and rubber over-mold handles
- Commercial-grade felt air filtration
- 59", 4-layer flex cable

**300** DURABILITY R A T I N G

ECHOmatic Pro<sup>™</sup> trimmer head

## SRM-2805

A steel drive shaft improves acceleration and is a favorite for demanding professionals.

- 28.1cc Power Boost Vortex<sup>™</sup> engine
- Extra heavy-duty engine vibration reduction mount and rubber over-mold handles
- Commercial-grade felt air filtration
- 59", 7mm steel shaft with self-lubricating bearings
- ECHOmatic Pro™ trimmer head

300 DURABILITY B A T I N G

uwen nunst Lizhizhi - M

Trimmer Heads and Line

0 W L R B D D S 1 1890 2 5 6 5 7 4

ECHO's full line of trimmer accessories includes 11 different trimmer heads and both standard and premium line in all diameters.

For ECHO's full line of Trimmer Accessories, see pages 30-33.

## SRM-280T

The top-of-the-line choice for power, performance and torque.

- 28.1cc Power Boost Vortex<sup>™</sup> engine
- 50% more torque than the SRM-280
  Extra heavy-duty engine vibration reduction
- mount and rubber over-mold handlesCommercial-grade felt air filtration
- 59", 4-layer flex cable
- ECHOmatic<sup>™</sup> trimmer head

#### WWW.ECHO-USA.COM

18 80081

#### **TRIMMER SPECIFICATIONS**

Model	Engine Displacement (cc)	Carburetor (w/Purge Pump)	Fuel Capacity	Shaft Length (in)	Shaft Type	Starting System	Cutting Head	Cutting Swath (in)	Shield	Drive Shaft	Nylon Line (in dia)	Dry Weight (lb)*	Dry Weight (Ib)**
GT-200R	21.2	Rotary	15.2	48	Curved	i-30™	Rapid- Loader™	16	Std. GT	4-Layer Cable	.080 Cross-Fire®	9.3	8.8
GT-200i	21.2	Rotary	15.2	48	Curved	i-75™	Rapid- Loader™	16	Std. GT	4-Layer Cable	.080 Cross-Fire®	9.6	8.8
GT-251E	25.4	Diaphragm	14.2	52	Curved	i-30™	Rapid- Loader™	16	Std. GT	Flexible	.080 Cross-Fire®	10.4	9.9
SRM-210	21.2	Rotary	15.2	59	Straight	i-30™	ECHOmatic Pro™	17	Std. SRM	4-Layer Cable	.095 Cross-Fire®	11.4	10.6
SRM-210i	21.2	Rotary	15.2	59	Straight	i-75™	Rapid- Loader™	17	Std. SRM	4-Layer Cable	.095 Cross-Fire®	11.6	10.9
SRM-210SB	21.2	Rotary	15.2	59	Split Shaft	i-30™	ECHOmatic Pro™	17	Std. SRM	4-Layer Cable	.095 Cross-Fire®	11.9	11.1
SRM-230	22.8	Rotary	19.6	59	Straight	Standard	ECHOmatic Pro™	17	Std. SRM	4-Layer Cable	.095 Cross-Fire®	12.2	11.4
SRM-230S	22.8	Rotary	19.6	59	Straight	Standard	ECHOmatic Pro™	17	Std. SRM	Steel	.095 Cross-Fire®	12	11.2
SRM-265	25.4	Diaphragm	16.9	59	Straight	i-30™	ECHOmatic Pro™	17	Std. SRM	4-Layer Cable	.095 Cross-Fire®	13.4	12.3
SRM-265S	25.4	Diaphragm	16.9	59	Straight	i-30™	ECHOmatic Pro™	17	Std. SRM	Steel	.095 Cross-Fire®	12.9	12.1
SRM-265T	25.4	Diaphragm	16.9	59	Straight	i-30™	ECHOmatic™	17	Std. SRM	4-Layer Cable	.095 Cross-Fire®	13.7	12.7
SRM-280	28.1	Diaphragm	21.6	59	Straight	Standard	ECHOmatic Pro™	17	Std. SRM	4-Layer Cable	.095 Cross-Fire®	13.4	12.6
SRM-280S	28.1	Diaphragm	21.6	59	Straight	Standard	ECHOmatic Pro™	17	Std. SRM	Steel	.095 Cross-Fire®	13.4	12.5
SRM-280T	28.1	Diaphragm	21.6	59	Straight	Standard	ECHOmatic™	17	Std. SRM	4-Layer Cable	.095 Cross-Fire®	13.5	12.7

\* Includes cutting head, excludes harness.

\*\* Without cutting head, includes shield.



WARNING: Improper use of any trimmer or brushcutter can cause serious or fatal injury. Read, understand and follow all safety instructions in your Operator's and Safety Manuals. A barrier bar and harness must be used with rigid plastic and metal grass/weed blades. A U-handle and harness must be used with brush and clearing blades. Always use the appropriate debris shield for the type of cutting attachment being used, as explained in your Operator's and Safety Manuals.

WARNING: A barrier bar, harness and blade shield must be attached when using a rigid plastic or metal grass/weed blade with front loop handle.

WARNING: A U-handle, harness and blade shield must be attached when using a brush or clearing blade.

The barrier bar, U-handle, harness and blade shield can be purchased separately from your ECHO dealer. See page 33.



#### **TRIMMER - STANDARD AND OPTIONAL EQUIPMENT**

Model	GT ECHOmatic® Head	SRM ECHOmatic® Head	SRM ECHOmatic® II Head	SRM ECHOmatic Pro™ Head	SRM Fixed Head	U Turn™ Head	SRM Manual Head	2-Line Rapid-Loader™ Head	8-Tooth Grass and Weed Blade	8" Brush Blade	10" Brush Blade	8" 22-Tooth Saw Blade	3-Line Rapid-Loader™ Head	U-Handle Kit <sup>1</sup>	Blade Conversion Kit <sup>2</sup>
GT-200R															
GT-200i								<b></b>							
GT-251								<b></b>							
SR/M-210												-			
SRM-210i				-		-		<b></b>							
SRM-210SB															
SRM-230															
SRM-230S						-									
SRM-265															
SRM-265S															
SRM-265T		<b></b>													
SRM-280															
SRM-280S															
SRM-280T			<b></b>					•					•		•

1 Uhandle kit or barrier bar is required for metal blade use. 2 Blade conversion kit is required for metal blades and tricut blade. (This chart refers to accessories on pages 30–33.) Standard 🔺 Optional

#### **TRIMMER LINE**

CROSS

Cross-section of Cross-Fire<sup>®</sup> line shows the eight cutting edges which shear rather than tear grass.

FIRE

Round line is an economical professional-grade trimmer line.

## RAPID-LSADER

Just insert precut line sections into the Rapid-Loader™ trimmer head and you're ready to go. Line changes are "lightning fast"!

#### **TRIMMER LINE**

	Package Size	.065″ Diameter	.080″ Diameter	.095″ Diameter	.105″ Diameter	.130″ Diameter	.155″ Diameter*
Cross-Fire®	40 ft Loop	102152652	102152802	102152952	—	—	—
Premium	1/2 lb Donut	306065051	306080052	306095053	306105055	—	—
Trimmer	1 lb Donut	_	311080062	311095063	311105065	311130064	311155066
Line	3 lb Donut	—	314080052	314095053	314105055	314130054	314155056
	5 lb Donut	_	316080052	316095053	316105055	316130054	316155056
Professional-	40 ft Loop	102142652	102142802	102142952	—	—	—
Grade Round	1/2 lb Donut	305065051	305080052	305095053	305105055	305130054	—
Trimmer	1 lb Donut	310065061	310080062	310095063	310105065	310130064	
Line	3 lb Donut	_	313080052	313095053	313105055	313130054	_
	5 lb Donut	315065051	315080052	315095053	315105055	315130054	_
Rapid-Loader™	10 Count, 8" L	—	102202953	102202952	102202105	102202130	102202155
Precut Line	20 Count, 8" L	—	102212131	102212952	102212105	102212130	102212155
	50 Count, 8" L	—	102222156	102222952	102222105	102222130	102222155
Pouch/Line	50 Count, 8" L	—	—	102262952	_	—	—
Combo							
Heavy-Duty	10 Count, 21" L	—	—	—	—	—	102223155
Precut	20 Count, 21" L	—	—	—	-	—	102224155
Fixed Line	50 Count, 21" L	—	—	—	—	—	102225155

\* .155" diameter line is recommended for models with 25 cc or higher engines.

TRIMMERS









# FICERNT ASK ANY PRO

#### **PRO POINTERS**

- Carefully check your surroundings and plan out your work before operating any equipment.
- Always use the proper handle and guard system for your brushcutting application.

# BRUSHCUTTERS

**Power, Comfort and Stability** are at your disposal with ECHO's innovative line of commercial-grade brushcutters. Offered in five engine displacements and both flex cable drive and solid steel configurations, ECHO has the right brushcutter for applications ranging from rough grass, to thicket, to shrub and dense undergrowth.

> 25.4cc Power Boost Vortex™ engine with Pro-Fire® ignition for quick, easy starts



Rubber over-mold throttle control for all day comfort

SRM-265U shown – see page 28 for more product information.

16.9 fl oz capacity see-through fuel tank for long run times

> Off-set 'U' handle provides excellent maneuverability and control



Optional 8" brush blade conversion kit available. See page 32.

Debris shield with integrated cut-off knife assures optimum line length



Heavy-duty gear case with sealed bearings for long-lasting durability



59" straight shaft with flex cable drive



ECHO Quality Backed by an Extensive Warranty

ECHOmatic Pro™

trimmer head

All ECHO Brushcutters feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the flexible cable drive, steel drive shaft and ignition module.

\*Visit www.echo-usa.com/5year to learn more.

## BRUSHCUTTERS

## SRM-210U

וין'ואב

Delivers strong brushcutting performance in a light, easy-to-use package.

- 21.2 cc Power Boost Vortex<sup>™</sup> engine
- 59", 4-layer flex cable drive
- Die-cast clutch cover with heavy-duty vibration reduction system
- 8-tooth heavy grass and weed blade, and dual-line ECHOmatic Pro<sup>™</sup> trimmer head
- Offset U-handle with stop switch and throttle lock-out delivers maximum operational control and user comfort
- Shoulder harness standard



## SRM-230U

Provides more power for general brush clearing.

- 22.8 cc Power Boost Tornado<sup>™</sup> engine
- 59", 4-layer flex cable drive
- Die-cast clutch cover with heavy-duty vibration reduction system
- ECHOmatic Pro™ trimmer head and blade conversion kit\*
- Offset U-handle with stop switch and throttle lock-out delivers maximum operational control and user comfort
- Shoulder harness standard
- \* Blade not included



#### ECHO Quality Backed by an Extensive Warranty



All ECHO Brushcutters' feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the flexible cable drive, steel drive shaft and ignition module.

\*Visit www.echo-usa.com/5year to learn more.

## SRM-265U

Powerful performance, innovative features and superior design.

- 25.4cc Power Boost Vortex™ engine
- 30% reduction in starting effort
- Offset U-handle with stop switch and throttle lock-out
- Commercial-grade felt air filtration
- 59", 4-layer flex cable
- Shoulder harness is standard

- Includes blade conversion kit\*
- ECHOmatic Pro™ trimmer head
- \* Blade not included

## SRM-280U

A new class of performance with increased power.

- 28.1cc Power Boost Vortex<sup>™</sup> engine
- Offset U-handle with stop switch and throttle lock-out
- Commercial-grade felt air filtration
- 59", 4-layer flex cable

**300** BURABILITY B A T I A G

- Shoulder harness is standard
- Includes blade conversion kit\*
- ECHOmatic Pro<sup>™</sup> trimmer head
- \* Blade not included

eowie obosi Vistististist

BRUSHCUTTERS

#### 800.432.ECHO

## BRUSHCUTTERS



## **SRM-400U**

Top-of-the-line brushcutter with maximum power.

- 42.7 cc Power Boost<sup>™</sup> engine
- Engine vibration reduction system and • padded handles
- Commercial-grade air filtration ٠
- 60.2" steel shaft
- Offset U-handle with stop switch and ٠ throttle lock-out delivers maximum operational control and user comfort
- Deluxe shoulder harness standard •
- Large 37.2 fl. oz. see-through fuel tank
- 10" brush blade and metal shield



#### BRUSHCUTTER SPECIFICATIONS

#### BRUSHCUTTER ACCESSORIES

Maximize your brushcutting performance with our 8" clearing saw blade.

A 4-point harness makes handling easier and more comfortable.

For ECHO's full line of Brushcutter Accessories, see pages 30-33.







Model	Engine Displacement (cc)	Carburetor (w/Purge Pump)	Fuel Capacity (fl. oz.)	Shaft Length (in)	Shaft Type	Starting System	Cutting Head	Cutting Swath (in)	Shield	Drive Shaft	Nylon Line (in dia)	Dry Weight (lb)*	Dry Weight (Ib)**
SRM-210U	21.2	Rotary	15.2	59	Straight	Standard	ECHOmatic Pro™	17	Std. SRM	4-Layer Cable	.095 Cross- Fire®	12.9	12.1
SRM-230U	22.8	Rotary	19.6	59	Straight	Standard	ECHOmatic Pro™	17	Std. SRM	4-Layer Cable	.095 Cross- Fire®	13.2	12.4
SRM-265U	25.4	Diaphragm	16.9	59	Straight	i-30™	ECHOmatic Pro™	17	Std. SRM	4-Layer Cable	.095 Cross- Fire®	14.4	13.5
SRM-280U	28.1	Diaphragm	21.6	59	Straight	Standard	ECHOmatic Pro™	17	Std. SRM	4-Layer Cable	.095 Cross- Fire®	14.5	13.6
SRM-400U	42.7	Rotary	37.2	60.2	Straight	Standard	10″ Brush Blade	10	Metal	Solid Steel	N.A <sup>.</sup>	20.3	17.6
	SRM-210U SRM-230U SRM-265U SRM-280U	Model         Displacement (c)           SRM-210U         21.2           SRM-230U         22.8           SRM-265U         25.4           SRM-280U         28.1	ModelDisplacement (cc)(w/Purge Pump)SRM-210U21.2RotarySRM-230U22.8RotarySRM-265U25.4DiaphragmSRM-280U28.1Diaphragm	ModelDisplacement (cc)(w/Purge Pump)Capacity (fl. oz.)SRM-210U21.2Rotary15.2SRM-230U22.8Rotary19.6SRM-265U25.4Diaphragm16.9SRM-280U28.1Diaphragm21.6	ModelDisplacement (cc)(w/Purge Pump)Capacity (fl. oz.)Snift Length (in)SRM-210U21.2Rotary15.259SRM-230U22.8Rotary19.659SRM-265U25.4Diaphragm16.959SRM-280U28.1Diaphragm21.659	ModelDisplacement (cc)(w/Purge Pump)Capacity (fl. oz.)Shart Length (in)Shaft TypeSRM-210U21.2Rotary15.259StraightSRM-230U22.8Rotary19.659StraightSRM-265U25.4Diaphragm16.959StraightSRM-280U28.1Diaphragm21.659Straight	ModelDisplacement (c)(w/Purge Pump)Capacity (fl. oz.)Shaft TypeStarting SystemSR/M-210U21.2Rotary15.259StraightStandardSR/M-230U22.8Rotary19.659StraightStandardSR/M-265U25.4Diaphragm16.959Straighti-30™SR/M-280U28.1Diaphragm21.659Straightstandard	ModelDisplacement (cc)(w/Purge Pump)Capacity (fl. oz.)Shaft Length (in)Shaft TypeStarting SystemCutting HeadSRM-210U21.2Rotary15.259StraightStandardECHOmatic ProTMSRM-230U22.8Rotary19.659StraightStandardECHOmatic ProTMSRM-265U25.4Diaphragm16.959Straighti-30TMECHOmatic ProTMSRM-280U28.1Diaphragm21.659StraightStandardECHOmatic ProTMSRM-400U42.7Potanci37.260.2StraightStandard10" Brush	ModelDisplacement (c)(w/Purge Pump)Capacity (fl. oz.)Shaft TypeStarting SystemCutting HeadCutting SystemSRM-210U21.2Rotary15.259StraightStandardECHOmatic ProTM17SRM-230U22.8Rotary19.659StraightStandardECHOmatic ProTM17SRM-265U25.4Diaphragm16.959Straighti-30TMECHOmatic ProTM17SRM-280U28.1Diaphragm21.659StraightStandardECHOmatic ProTM17SRM-400U42.7Petary37.260.2StraightStandard10" Brush10	ModelDisplacement (c)(w/Purge Pump)Capacity (fl. oz.)Shaft TypeStarting SystemCutting HeadCutting, SystemShieldSRM-210U21.2Rotary15.259StraightStandardECHOmatic ProTM17Std. SRMSRM-230U22.8Rotary19.659StraightStandardECHOmatic ProTM17Std. SRMSRM-265U25.4Diaphragm16.959Straighti-30TMECHOmatic ProTM17Std. SRMSRM-280U28.1Diaphragm21.659StraightStandardECHOmatic ProTM17Std. SRMSRM-400U42.7Patary37.260.2StraightStandard10" Brush10Matel	ModelDisplacement (cc)(w/Purge Pump)Capacity (fl. o)Shaft Length (in)Shaft TypeStarting SystemCutting HeadCutting HeadCutting Swath (in)ShieldDrive ShaftSRM-210U21.2Rotary15.259StraightStandardECHOmatic ProTM17Std. SRM4-layer CableSRM-230U22.8Rotary19.659StraightStandardECHOmatic ProTM17Std. SRM4-layer CableSRM-265U25.4Diaphragm16.959Straighti-30TMECHOmatic ProTM17Std. SRM4-layer CableSRM-280U28.1Diaphragm21.659StraightStandardECHOmatic ProTM17Std. SRM4-layer CableSRM-400U42.7Potapri37.260.2StraightStandard10" Brush10MatelSclid Stand	ModelDisplacement (cr)(w/Purge Pump)Capacity (fl. oz.)ShaftShaftStarting SystemCutting HeadCutting HeadCutting Swath (in)ShieldDrive ShaftMyVon Life (in dia)SRM-210U21.2Rotary15.259StraightStandardECHOmatic ProTM17Std. SRM4-layer Cable.095 Cross- Fire®SRM-230U22.8Rotary19.659StraightStandardECHOmatic ProTM17Std. SRM4-layer Cable.095 Cross- Fire®SRM-265U25.4Diaphragm16.959StraightStandardECHOmatic ProTM17Std. SRM4-layer Cable.095 Cross- Fire®SRM-280U28.1Diaphragm21.659StraightstandardECHOmatic ProTM17Std. SRM4-layer Cable.095 Cross- Fire®SRM-280U28.1Diaphragm21.659StraightstandardECHOmatic ProTM17Std. SRM4-layer Cable.095 Cross- Fire®SRM-400U42.7Poton37.260.2StraightstandardECHOmatic ProTM17Std. SRM4-layer Cable.095 Cross- Fire®SRM-400U42.7Poton37.260.2StraightStandardECHOmatic ProTM10MatelSaid StandN A-	ModelDisplacement (c)(w/Purge Pump)Capacity (fl. oz.)Shaft Type Length (in)Start Type SystemStart Type SystemCutting Head SystemCutting Head Swath (in)Cutting Head Swath (in)Cutting Head Swath (in)Drive ShaftMyon Line (in dia)Dry Weight (ib)*SRM-210U21.2Rotary15.259StraightStandardECHOmatic ProTM17Std. SRM4-layer Cable.095 Cross- Fire®12.9SRM-230U22.8Rotary19.659StraightStandardECHOmatic ProTM17Std. SRM4-layer Cable.095 Cross- Fire®13.2SRM-265U25.4Diaphragm16.959Straighti-30TMECHOmatic ProTM17Std. SRM4-layer Cable.095 Cross- Fire®14.4SRM-280U28.1Diaphragm21.659StraightStandardECHOmatic ProTM17Std. SRM4-layer Cable.095 Cross- Fire®14.5SRM-400U.42.7Petrav.37.2.60.2StraightStandard10" Brush10MatelSolid StealN1.4.20.3

\*\* Without cutting head, includes shield.

#### **BRUSHCUTTER - STANDARD AND OPTIONAL EQUIPMENT**

Model	GT ECHOmatic® Head	SRM ECHOmatic® Head	SRM ECHOmatic® II Head	SRM ECHOmatic Pro™ Head	SRM Fixed Head	U Turn™ Head	SRM Manual Head	2-Line Rapid-Loader™ Head	8-Tooth Grass and Weed Blade	8" Brush Blade	10" Brush Blade	8″ 22-Tooth Saw Blade	3-Line Rapid- Loader™ Head	U-Handle Kit <sup>1</sup>	Blade Conversion Kit <sup>2</sup>
SRM-210U															
SRM-230U							-								
SRM-265U				<b></b>										<b></b>	
SRM-280U			<b></b>											<b></b>	<b>A</b>
SRM-400U														<b></b>	<b></b>

1 Urhandle kit or barrier bar is required for metal blade use. 2 Blade conversion kit is required for metal blades and tri-cut blade. (This chart refers to accessories on pages 30-33.) Standard 🔺 Optional 🔳

WARNING:

Improper use of any trimmer or brushcutter can cause serious or fatal injury. Read, understand and follow all safety instructions in your Operator's and Safety Manuals. A barrier bar and harness must be used with rigid plastic and metal grass/weed blades. A U-handle and harness must be used with brush and clearing blades. Always use the appropriate debris shield for the type of cutting attachment being used, as explained in your Operator's and Safety Manuals.

- WARNING:
- A barrier bar, harness and blade shield must be attached when using a rigid plastic or metal grass/weed blade with front loop handle.
  - WARNING: A U-handle, harness and blade shield must be attached when using a brush or clearing blade.

The barrier bar, U-handle, harness and blade shield can be purchased separately from your ECHO dealer. See page 33.

WWW.ECHO-USA.COM



SNSME ASKANY PRO



The U Turn<sup>TM</sup> Trimmer Head allows you to reload a spool in seconds! Just insert a length of line into the holes on the side of the spool drum and twist the line onto the spool. One quick snip and you're ready to go. It's that simple!



## TRIMMER & BRUSHCUTTER ACCESSORIES

#### Maximize Your Trimming and Brushcutting Performance with ECHO's

complete line of trimmer and brushcutter accessories. From the ECHOmatic® trimmer head to our 8" clearing saw blade, we offer the right performance accessories for your trimming and cutting needs. Our pure performance Cross-Fire® line offers eight cutting edges for smooth, even grass trimming. Rapid-Loader™ offers important user features that make line changes "lightning fast."

#### **MANUAL — NYLON LINE CUTTING HEADS**

Manual cutting heads use precut lengths of line that are inserted directly into the trimmer head.



**3-Line Rapid-Loader™ ECHO Head** .095" dia. line Part #99944200221

> Not Shown: CLS Manual Head .095" dia. line Part #99944200180



2-Line Rapid-Loader™ ECHO Head .095" dia. line Part #21560056

2-Line Rapid-Loader™ Head Adapter for Stihl Curved Shaft Part #21560057

2-Line Rapid-Loader™ Head Adapter for Ryobi, Toro, Homelite Part #21560058



Rapid-Loader™ Universal Head .095" dia. line Part #21560059



Dual-Line SRM Manual Head .095" dia. line Part #21560060





Cross-section of Cross-Fire<sup>®</sup> line shows the eight cutting edges which shear rather than tear grass.

# nd line is an economical professional-grade

Round line is an economical professional-grade trimmer line.

## RAPID-LSADER

Just insert precut line sections into the Rapid-Loader™ trimmer head and you're ready to go. Line changes are "lightning fast"!

#### FIXED — NYLON LINE CUTTING HEADS

Fixed cutting heads use line that is inserted into the trimmer head.



Heavy-Duty Fixed Line Head .130" dia. line Part #99944200220

For SRM-261T only Part #99944200225



#### SEMI-AUTOMATIC - NYLON LINE CUTTING HEADS

Semi-automatic cutting heads use pre-spooled line that is inserted into the trimmer head. A simple bump on the ground advances line as it is used.



SRM ECHOmatic Pro™ Head .095" dia. line Part #21560031



**U Turn™ Head** .095" dia. line Part #99944200900



SRM ECHOmatic® Head .095" dia. line Part #21560050

Not Shown: CLS ECHOmatic® Head .095" dia. line Part #99944200190



Dual-Line GT ECHOmatic<sup>®</sup> Head .080" dia. line Part #99944200240 Pre-wound Replacement Spool Part #21500240



SRM ECHOmatic® II High Capacity Head .105" dia. line Part #99944200250



GT ECHOmatic® Head .080" dia. line Part #21560040 Pre-wound Replacement Spool Part #21560240

## EGHD TRIMMER & BRUSHCUTTER ACCESSORIES

#### **BLADES AND CUTTING ATTACHMENTS**

Part NumberDescriptionFor use on grass trimmers up to 22 cc215311Maxi-Cut II Weed Cutter215113Maxi-Cut I Replacement Fastener (3)215513Maxi-Cut II Replacement Fastener (3)For use on trimmers and brust-cut II Replacement Fastener (3)Pro Maxi-Cut II Weed Cutter215511Pro Maxi-Cut II Weed Cutter215512Pro Maxi-Cut II Weed Cutter215513Pro Maxi-Cut II Replacement Fastener (3)696001203318", 8-Tooth Grass and Weed Blade (20 mm arbor)695001203317", 80-Tooth Brush Blade (20 mm arbor)695001203317", 80-Tooth Brush Blade (20 mm arbor)6950012143110", 80-Tooth Brush Blade (25 mm arbor)6990442001308", 22-Tooth Clearing Saw Blade (20 mm arbor)9994420003010" Tri-Cut Plastic Blade (20 mm arbor)9994420003010" Tri-Cut Plastic Blade (20 mm arbor)9994420003110" Tri-Cut Claide Cup
215311 215313Maxi-Cut II Weed Cutter Maxi-Cut I Replacement Fastener (3)215513Maxi-Cut I Replacement Fastener (3)For use on trimmers and brushcutters 21 cc to 40 cc215511Pro Maxi-Cut II Weed Cutter Pro Maxi-Cut II and Pro Maxi-Cut II Replacement Blades (12)215513Pro Maxi-Cut I and Pro Maxi-Cut II Replacement Blades (12)215513Pro Maxi-Cut I Replacement Fastener (3)696001203318", 8-Tooth Grass and Weed Blade (20 mm arbor)69500183317", 80-Tooth Brush Blade (20 mm arbor)695001203318", 8-Tooth Grass and Weed Blade (25 mm arbor)695001203317", 80-Tooth Brush Blade (20 mm arbor)695001203318", 22-Tooth Clearing Saw Blade (20 mm arbor)999442001308", 22-Tooth Clearing Saw Blade (25 mm arbor)999442003010" Tri-Cut Plastic Blade (20 mm arbor)
215113 215513Maxi-Cut I Replacement Fastener (3) Maxi-Cut II Replacement Fastener (3)For use on trimmers and brushcutters 21 cc to 40 cc215511 215712 215213 215513Pro Maxi-Cut II Weed Cutter Pro Maxi-Cut I and Pro Maxi-Cut II Replacement Blades (12) Pro Maxi-Cut I Replacement Fastener (3)69600120331 696001214318", 8-Tooth Grass and Weed Blade (20 mm arbor) 8", 8-Tooth Grass and Weed Blade (25 mm arbor)6950018331 69500120331 695001214317", 80-Tooth Brush Blade (20 mm arbor) 8", 80-Tooth Brush Blade (25 mm arbor)99944200130 999442001408", 22-Tooth Clearing Saw Blade (20 mm arbor) 8", 22-Tooth Clearing Saw Blade (25 mm arbor)999442003010" Tri-Cut Plastic Blade (20 mm arbor)
215511Pro Maxi-Cut II Weed Cutter215712Pro Maxi-Cut I and Pro Maxi-Cut II Replacement Blades [12]215213Pro Maxi-Cut I Replacement Fastener [3]215513Pro Maxi-Cut II Replacement Fastener [3]696001203318", 8-Tooth Grass and Weed Blade [20 mm arbor]69500183317", 80-Tooth Brush Blade [20 mm arbor]695001203318", 8-Tooth Brush Blade [20 mm arbor]695001203316", 80-Tooth Brush Blade [20 mm arbor]695001203318", 22-Tooth Clearing Saw Blade [20 mm arbor]999442001308", 22-Tooth Clearing Saw Blade [25 mm arbor]999442003010" Tri-Cut Plastic Blade [20 mm arbor]
215712 215213Pro Maxi-Cut I and Pro Maxi-Cut II Replacement Blades (12) Pro Maxi-Cut I Replacement Fastener (3) Pro Maxi-Cut II Replacement Fastener (3)69600120331 696001214318", 8-Tooth Grass and Weed Blade (20 mm arbor) 8", 8-Tooth Grass and Weed Blade (25 mm arbor)69500108331 69500120331 695001214317", 80-Tooth Brush Blade (20 mm arbor) 8", 8-Tooth Brush Blade (20 mm arbor) 10", 80-Tooth Brush Blade (25 mm arbor)99944200130 999442001408", 22-Tooth Clearing Saw Blade (25 mm arbor)999442003010" Tri-Cut Plastic Blade (20 mm arbor)
69600121431         8", 8-Tooth Grass and Weed Blade (25 mm arbor)           69500108331         7", 80-Tooth Brush Blade (20 mm arbor)           69500120331         8", 80-Tooth Brush Blade (20 mm arbor)           69500121431         10", 80-Tooth Brush Blade (20 mm arbor)           99944200130         8", 22-Tooth Clearing Saw Blade (20 mm arbor)           99944200140         8", 22-Tooth Clearing Saw Blade (25 mm arbor)           9994420030         10" Tri-Cut Plastic Blade (20 mm arbor)
69500120331         8", 80-Tooth Brush Blade (20 mm arbor)           69500121431         10", 80-Tooth Brush Blade (25 mm arbor)           99944200130         8", 22-Tooth Clearing Saw Blade (20 mm arbor)           99944200140         8", 22-Tooth Clearing Saw Blade (25 mm arbor)           9994420030         10" Tri-Cut Plastic Blade (20 mm arbor)
99944200140         8", 22-Tooth Clearing Saw Blade (25 mm arbor)           99944200030         10" Tri-Cut Plastic Blade (20 mm arbor)
99944200035         10" Tri-Cut w/Glide Cup (20 mm arbor)           99944200040         10" Tri-Cut Plastic Blade (25 mm arbor)           99944200045         10" Tri-Cut w/Glide Cup (25 mm arbor)
999442000473 Cutter Metal Blade (20 mm arbor)999442000483 Cutter Metal Blade (25 mm arbor)
89850308031         8" SRM Blade Protector           89852340030         10" SRM Blade Protector
99944200455 Barrier Bar

BLADE AND CUTTING HEAD APPLICATIONS • Indicates recommended use.



8", 80-Tooth Brush Blade 20 mm Arbor – Part #69500120331



8", 22-Tooth Clearing Saw Blade 20 mm Arbor – Part #99944200130 25 mm Arbor –

Part #99944200140



Maxi-Cut II Weed Cutter GT-series Part #215311



**10" Tri-Cut Plastic Blade SRM-series** (requires blade conversion kit) Part #99944200030

8", 8-Tooth Grass and Weed Blade 20 mm Arbor – Part #69600120331

25 mm Arbor – Part #69600121431



**3 Cutter Metal Blade** 20 mm Arbor – Part #99944200047 25 mm Arbor – Part #99944200048



Pro Maxi-Cut II Weed Cutter (requires blade conversion kit) Part #215511



**8" SRM Blade Protector** Part #89850308031

10" SRM Blade Protector Part #89852340030

Part Number	Model	Cutting Around Obstacles	Cutting Small Weeds	Cutting Large Weeds	Reeds, Bushes, Heavy Grass	Bushes, Small Trees
99944200900	U Turn™ Head	•	•			
21560059	Rapid-Loader™ Universal Head	•	•			
21560040	GT ECHOmatic® Head	•	•			
99944200240	Dual-Line GT ECHOmatic® Head	•	•			
21560050	SRM ECHOmatic® Head	•	•			
99944200250	SRM ECHOmatic® II High Capacity Head	•	•			
21560030	SRM ECHOmatic Pro™ Head	•	•			
99944200190	CLS ECHOmatic® Head	•	•			
99944200220	Heavy-Duty Fixed Line Head	•	•	•		
21560060	SRM Manual Head	•	•			
99944200180	CLS Manual Head	•	•			
21560056	2-Line Rapid-Loader™ Head	•	•			
99944200221	3-Line Rapid-Loader™ Head	•	•			
215311	Maxi-Cut Weed Cutter		•	•		
215511	Pro Maxi-Cut Weed Cutter		•	•		
99944200030	10" Tri-Cut Plastic Blade (20 mm arbor)		•	•		
99944200040	10" Tri-Cut Plastic Blade (25 mm arbor)					
99944200047	3 Cutter Metal Blade			•	•	
69600120331	8-Tooth Grass & Weed Blade (20 mm arbor)		•	•	•	
69600121431	8-Tooth Grass & Weed Blade (25 mm arbor)					
69500108331	7" Brush Blade			•	•	•
69500120331	8" Brush Blade			•	•	•
69500121431	10" Brush Blade			•	•	•
99944200130	8" Clearing Saw Blade (20 mm arbor)					
99944200140	8" Clearing Saw Blade (25 mm arbor)					•

#### [=+;/] TRIMMER & BRUSHCUTTER ACCESSORIES

#### **SRM BLADE SET-UP GUIDE**

To Use These Blades	Pro Maxi-Cut Grass/Weed Blade	Rigid Plastic Tri-Cut Grass/Weed Blade	Metal Grass/Weed Blade	Metal Brush/Clearing Blade
v	Loop Handle or Barrier Bar	Barrier Bar or U-Handle	Barrier Bar or U-Handle	U-Handle
You must	Metal Shield	Metal Shield	Metal Shield	Metal Shield
install	Harness	Harness	Harness	Harness
these parts!	Upper Plate & Flat Washer	Upper Plate & Glide Cup	Upper/Lower Blade Plates	Upper/Lower Blade Plates
>	Hex Nut	Hex Nut	Hex Nut	Hex Nut
	New Cotter Pin	New Cotter Pin	New Cotter Pin	New Cotter Pin





Т



STARTER KITS

ECHO Safety Video (DVD)

**SAFETY MANUALS AND VIDEOS** 

ECHO Spanish Safety Video (DVD)

Trimmer/Brushcutter/Clearing safety manuals Trimmer/Brushcutter Safety Video (VHS)

Trimmer/Brushcutter Spanish Safety Video (VHS)



Part #X752000041

Part #99922202540

Part #99922203508

Part #99922203905

Part #99922203909

Part #99944200001

Optional: Fits all **SRM** Trimmers **SPECIALTY ATTACHMENTS** 

SPECIALI I ATTACHMEN	115						
Model	Offset U-Handle Kit	Blade Conversion Kit	Combo U-Handle/ Blade Conversion Kit	SRM/PAS Shoulder Strap Kit (34 cc and Below)	GT Shoulder Strap Kit	Heavy-duty 4-pt Brushcutter Harness	Tiller/Cultivator Attachment
SRM-2100/2100SB/PAS-2100	35130454130	99944200415	99944200451	99944200200	N.A.	N.A.	SRAC-200
SRM-210/211/210i/211i/210U/211U/ 210SB/211SB/PAS-210/211 - SN 02001001-04999999	35130454130	99944200411* 99944200415 99944200411*	99944200451	99944200200	N.A.	N.A.	SRAC-200
SRM-210/211/210i/211i/210U/211U/ 210SB/211SB/PAS-210/211 – SRM-230/231/230S/231S/230U/ 231U/PAS-230/231 SN 05001001-07999999	35130454230	99944200415 99944200411*	99944200521	99944200200	N.A.	99944200202	SRAC-200**
SRM:2400 – SN 562999 and Below SRM:2400SB – SN 504695 and Below	35130454130	99944200415 99944200411*	99944200451	99944200200	N.A.	99944200202	SRAC-200
SRM-2400 – SN 563000 and Above SRM-2400SB – SN 504696 and Above	35130454230	99944200415 99944200411*	99944200521	99944200200	N.A.	99944200202	SRAC-200
SRM-230/231/230S/231S/ 230U/231U/PAS-230/231	35130454230	99944200415 99944200411*	99944200521	99944200200	N.A.	99944200202	SRAC-200
SRM-261T	99944200661	99944200417*	99944200562	99944200200	N.A.	99944200202	N.A.
SRM-2601	35130454230	99944200415 99944200411*	99944200521	99944200200	N.A.	99944200202	N.A.
SRM-260/261/260S/261S/260U/261U/ 260SB/261SB/PAS-260/261	99944200661	99944200415 99944200411*	99944200561	99944200200	N.A.	99944200202	SRAC-200**
SRM-265/265S	99944200675	99944200415		99944200200	N/A	99944200202	SRAC-200**
		99944200411*	99944200685	99944200200	N/A	99944200202	SRAC-200**
SRM-280/280S	99944200689	99944200415		99944200200	N/A	99944200202	SRAC-200**
		99944200411*	99944200695	99944200200	N/A	99944200202	SRAC-200**
SRM-265T	99944200676	99944200417	99944200690	99944200200	N/A	99944200202	SRAC-200**
SRM-280T	99944200705	99944200417	99944200700	99944200200	N/A	99944200202	SRAC-200**
SRM-340/3000/3001/3400	35130455830	99944200415	N.A.	99944200200	N.A.	99944200202	SRAC-400
SRM-310/311/3105/3115	99944200661	99944200415 99944200411*	99944200561	99944200200	N.A.	99944200202	SRAC-400**
SRM-2201/2501/2501S/2502	35130455730	99944200415	N.A.	99944200200	N.A.	99944200202	SRAC-200**
SRM-1500/1500A	35130454130	99944200400	N.A.	99944200200	N.A.	99944200202	SRAC-200
SRM-1501 – SN 83386 and Below	35130454130	99944200400	N.A.	99944200200	N.A.	99944200202	SRAC-200
SRM-1501 – SN 83387 and Above	35130454130	99944200415 99944200411*	99944200451	99944200200	N.A.	99944200202	SRAC-200
GT Models	N.A.	N.A.	N.A.	N.A.	99944200201	N.A.	N.A.

SN = Serial Number \* Kits 99944200411 and 99944200417 include 8" 80+tooth brush blade (20 mm arbor).

\*\* Tiller/Cultivator attachment not available for the following models: SRM-230S/231S/260S/261S/310S/311S/2501S.





#### **PRO POINTERS**

• ECHO's Pro Attachment Series™ is quite possibly the most versatile tool available for lawn and garden maintenance.

ASKANY PRO

- To ensure operator safety, carefully match your tools to the required application before beginning any job.
- Always wear the proper safety gear when operating any equipment. Consult your Operator's and Safety Manuals for more information.
- Carefully check your surroundings and plan out your work before operating any equipment.

## PRO ATTACHMENT SERIES™

#### ECHO's Pro Attachment Series™—A Tool for Every Need.

The ECHO Pro Attachment Series<sup>™</sup> (PAS) lets you purchase the tools you need and want—it's your choice! Leave it to ECHO to deliver a powerfully designed system that grows with your individual requirements. Two power sources and 11 commercial-grade attachments (some also fit the SRM-210SB) offer complete flexibility and unbeatable ECHO performance. The Pro Attachment Series<sup>™</sup>—the latest innovation in a long line of labor-saving, high-value tools from ECHO.



**POWER BLEND** 

FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFE™ OIL WITH EVERY PRO ATTACHMENT SERIES™ POWER SOURCE

Barrier bar allows use on some accessories and attachments and is standard on all Pro Attachment Series<sup>™</sup> power sources. See specific attachment Operator's Manuals for details.

Part #99944200455

25.4cc Power Boost Vortex™ engine with Pro-Fire® ignition for quick, \_ easy starts

PAS-265 shown – see page 36 for more product information.

Rubber over-mold throttle control and front handle for all day comfort

16.9 fl oz capacity seethrough fuel tank for long run times

Quick-change coupler makes attachment transition a quick and easy task

All power sources and attachments include heavy-duty flex cable drive shafts

FRUN



#### ECHO Quality Backed by an Extensive Warranty

Vibration-reducing engine mounts provide for greater operator comfort

All ECHO PAS Power Sources and attachments feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the cable drive and ignition module.

\*Visit www.echo-usa.com/5year to learn more.

## **ECHD** PRO ATTACHMENT SERIES<sup>TM</sup>



#### ECHO Quality Backed by an Extensive Warranty All ECHO PAS Power S



All ECHO PAS Power Sources and attachments feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the cable drive and ignition module.

\*Visit www.echo-usa.com/5year to learn more.

#### **PAS SPECIFICATIONS**

Model	Engine Displacement (cc)	Carburetor (w/Purge Pump)	Fuel Capacity (fl. oz.)	Starting System	Length (in)	Dry Weight (lb)*
PAS-230	22.8	Diaphragm	19.6	Standard	40	8.7
PAS-265	25.4	Diaphragm/RB	16.9	i-30™	40	10.8



FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFE™ OIL WITH EVERY PRO ATTACHMENT SERIES™ POWER SOURCE

#### Attachment Hanger

Easily hooks to all ECHO Pro Attachment Series<sup>™</sup> attachments for convenient storage. Available in a set of four. Each attachment is supplied with one hanger.

Part #99944200630



#### 800.432.ECH0

## PRO ATTACHMENT SERIES<sup>TM</sup>



### RAPID-LOADER™ HEAD

Turns your PAS power source into a fixed line trimmer.

- Easiest loading trimmer head available
- 2-line cutting head
- Cuts up to a 17" swath
- Straight shaft
- Patented line locking mechanism allows easy installation of line
- For use with PAS-230/231, PAS-260/261, PAS-265 or SRM-210SB/211SB

Part #99944200610 Length: 33″ Weight: 3.1 lbs

5.....

## RAPID-LSADER

Rapid-Loader™ makes line changes lightning fast. Simply insert two sections of trimmer line and you're ready to go!

### Safety Glasses Six different models combine

Six different models combine comfort and style. Each meets all applicable American National Standards Institute ANSI Z87.1-2003 performance criteria. For ECHO's full line of Safety Accessories, see pages 68–71.




### BRUSHCUTTER

Turns your PAS power source into a dedicated brushcutter for cutting weeds and brush.

- Equipped with an 8" brushcutting saw blade
- Metal shield
- For use with PAS-230/231, PAS-260/261, PAS-265 or SRM-210SB/211SB
- Barrier bar (included with PAS power source) or U-handle kit with harness required for use on PAS







EDGER

- Clog-resistant metal shield
- For use with PAS-230/231, PAS-260/261, PAS-265 or SRM-210SB/211SB

Turns your PAS power source into an edger for

routine maintenance or commercial applications.

Part #99944200470 Length: 33″ Weight: 5.6 lbs

- WARNING: Improper use of any trimmer or brushcutter can cause serious or fatal injury. Read, understand and follow all safety instructions in your Operator's and Safety Manuals. A barrier bar and harness must be used with brush and clearing blades. Always use the appropriate debris shield for the type of cutting attachment being used, as explained in your Operator's and Safety Manuals.
- WARNING: A barrier bar, harness and blade shield must be attached when using a rigid plastic or metal grass/weed blade with front loop handle.
  WARNING: A U-handle, harness and blade shield must be attached when using a brush or clearing blade.

The barrier bar, U-handle, harness and blade shield can be purchased separately from your ECHO dealer. See Blade Set-Up Chart on page 33.

### WWW.ECHO-USA.COM


## **EGHD** PRO ATTACHMENT SERIES<sup>TM</sup>

### 180° ARTICULATING HEDGE TRIMMER (HCA)

Turns your PAS power source into a commercial-grade articulating hedge trimmer.

- 18" double-sided, double-reciprocating blades
  Special gear case allows operational blade
- set articulation of 180° in 15° increments
- Blade folds flush to shaft for storage
  For use with PAS-230/231,
- For use with PAS-230/231 PAS-260/261, PAS-265 or SRM-210SB/211SB
- Multi-position attachment allows for a variety of applications Part #99944200595

Length: 40" Weight: 6.1 lbs



Turns your PAS power source into a commercial-grade hedge trimmer.

- 20" double-sided, double-reciprocating commercial cutter blades for quick, clean trimming and sculpting
- Extra heavy-duty, commercial-grade gear case for outstanding longevity
- For use with PAS-230/231, PAS-260/261, PAS-265 or SRM-210SB/211SB

Part #99944200485 Length: 50" Weight: 4.7 lbs

### ECHO Quality Backed by an Extensive Warranty



All ECHO PAS Power Sources and attachments feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the cable drive and ignition module.

\*Visit www.echo-usa.com/5year to learn more.

### **POWER PRUNER®**

Turns your PAS power source into a commercial-grade Power Pruner®.

- Power Pruner<sup>®</sup> attachment with power head attached is 8' long
- Improved gearbox features dual-sealed bearings, cut steel gears and manual grease port
- 10" bar and chain for excellent cutting capacity
- Heavy-duty gear case and automatic oiler for better durability in commercial use
- For use with PAS-230/231, PAS-260/261, PAS-265 or SRM-210SB/211SB

Part #99944200530 Length: 57" Weight: 4.8 lbs



### 3' EXTENSION

Provides temporary extra reach for selected ECHO PAS attachments.

- 36" long
- Tool-less coupler easily and quickly attaches between the PAS power head and attachment
- For use with Articulating Hedge Trimmer (HCA), Hedge Trimmer, and Power Pruner<sup>®</sup> attachments

Part #99944200535 Length: 36″ Weight: 2.6 lbs



## PRO ATTACHMENT SERIES<sup>TM</sup>



### Safety Glasses

Six different models combine comfort and style. Each meets all applicable American National Standards Institute ANSI Z87.1-2003 performance criteria. For ECHO's full line of Safety Accessories, see pages 68–71. Landscaper/Sport Gloves Excellent hand and wrist protection from course debris. For ECHO's full line of Safety Accessories, see pages 68–71.

### PRO PADDLE™

Turns your PAS power source into a commercial-grade grass/sod cleaner.

- 22.5" sweeping swath
- (10) 1.625" durable rubber fins offer long life
- Won't harm grass surfaces
- For use with PAS-230/231, PAS-260/261, PAS-265

Part #99944200620 Length: 36.5″ Weight: 11.2 lbs





Turns your PAS power source into a tiller/cultivator that is perfect for home use or commercial applications.

- 6.5" tilling swath is ideal for flower bed and garden maintenance
- 42:1 gear reduction for high torque tilling action
- For use with PAS-230/231/260/261, PAS-265 or SRM-210SB/211SB

Part #99944200510 Length: 35" Weight: 4.6 lbs







### **PRO POINTERS**

- Always wear the proper safety gear when operating any equipment. Consult your Operator's and Safety Manuals for more information.
- Carefully check your surroundings and plan out your work before operating any equipment.

ASK ANY PRO

## EDGERS

### Perfect Edge™ for a Perfect Look.

ECHO Perfect Edge<sup>™</sup> Power Edgers provide that perfect manicured look for commercial and residential sites. Light-weight and easy to maneuver, our edgers deliver superior power and durability with environmentally clean Power Boost Vortex<sup>™</sup> and Power Boost Tornado<sup>™</sup> engine technologies. ECHO Edgers deliver more torque for exceptional edging performance and are the first choice of lawn care professionals.

> 25.4cc Power Boost Vortex™ engine with Pro-Fire® ignition for quick, easy starts

Vibration-reducing engine mounts provide for greater operator comfort

Pro-Torque<sup>™</sup> gear case

16.9 fl oz capacity seethrough fuel tank for long run times

Rubber over-mold throttle control and cushioned front handle for all day comfort



FREE BOTTLE OF ECHO POWER BLEND<sup>®</sup> XTENDED LIFE™ OIL WITH EVERY EDGER

59" Curved shaft with flex cable drive

PE-265 shown – see page 43 for more product information.

25mm arbor


8" Long, .090" thick blade



ECHO Quality Backed by an Extensive Warranty All ECHO Edgers feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the flexible cable drive and ignition module.

\*Visit www.echo-usa.com/5year to learn more.

## Engers





### ECHO Quality Backed by an Extensive Warranty



All ECHO Edgers feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the flexible cable drive and ignition module.

Visit www.echo-usa.com/5year to learn more.

### **EDGER SPECIFICATIONS**

וין;אב

Model	Engine Displacement (cc)	Fuel Capacity (fl. oz.)	Starting System	Debris Shield	Blade Length (in)	Blade Thickness (in)	Dry Weight (lb)
PE-200	21.2	15.2	Standard	Plastic	8	0.090	12.4
PE-230	22.8	19.6	Standard	Die-Cast Metal	8	0.090	13.4
PE-265	25.4	16.4	i-30™	Die-Cast Metal	8	0.090	15.1
PE-280	28.1	21.6	Standard	Die-Cast Metal	8	0.090	15.2

### **STARTER KITS**

i-75™ Starter Kit, 21.2cc Engines

Part #99944200001

## ENGERS







#### 8" Premium Edger Blade

For edging driveways, sidewalks, flower beds and other borders. Increased thickness for more durability.

.181" Blade Thickness (2 Per Pkg) Part #69601553630 .181" Blade Thickness (25 Per Pkg/Bulk) Part #99944205000



ECHO Safety Video (DVD) Part #99922203905 ECHO Spanish Safety Video (DVD) Part #99922203909



### 8" Standard Edger Blade

For edging driveways, sidewalks, flower beds and other borders.

.090" Blade Thickness (2 Per Pkg) Part #69601552632 .090" Blade Thickness (50 Per Pkg/Bulk) Part #99944201000



### Crack Chaser Wire Wheel

For clearing cracks in driveways, paver bricks and other constructed surfaces.

6-7/8" Diameter, 25 mm Arbor Size. Part #99944206000





NY PRO

WECHD

PB-755H

8-755H

### Biggest...Baddest...Boldest.

PB-755H shown – see page 47 for more product information.

The ECHO PB-755 Power Blower features a big, powerful engine, unmatched airflow, a bold new color and many additional features including an extra flexible tube, a short and easy-to-service hip-mount throttle (PB-755H only), and increased tube rotation for operator mobility.

PB-755H

-755H

Straight back, – "L" frame

Top-mount automotive-

style air

Short hip-mount throttle

65.8 oz. see-through fuel tank

POWER BLEND FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFE™ OIL WITH EVERY BLOWER

Wide-angle tube rotation

### HANDHELD BLOWER SPECIFICATIONS

Model	Engine Displace- ment (cc)	Carburetor (w/ Purge Pump)	Pro-Fire® Electronic Ignition	Fuel Capacity (fl. oz.)	See-through Fuel Tank	Helper Handle	Average Air Volume (cfm- pipe)*	Average Air Volume (cfm-housing)**	Maximum Air Speed (mph- pipe)*	dB(A)†	Dry Weight (lb)#
PB-251	25.4	Diaphragm	Standard	14.4	Standard	N.A.	390	509	145	65	9.9
* Measured	d at end of pipe.	** Measured	at the housing	. † per ANS	B175.2-200	)2. #With sto	andard pipes				

easured at end

### BACKPACK BLOWER SPECIFICATIONS

Model	Engine Displace- ment (cc)	Carburetor (w/ Purge Pump)	Pro-Fire® Electronic Ignition	Fuel Capac- ity (fl. oz.)	See-through Fuel Tank	Helper Handle	Average Air Volume (cfm- pipe)*	Average Air Volume (cfm- housing)**	Maximum Air Speed (mph- pipe)*	dB(A)†	Dry Weight (lb)#
PB-265L	25.4	Diaphragm	Standard	21	Standard	Standard	355	458	135	65	13.3
PB-413	44	Diaphragm	Standard	64	Standard	Standard	380	800	175	71	20.7
PB-410	39.7	Diaphragm±	Standard	47.3	Standard	Standard	380	630	175	72	24.2
PB-460LN	44	Diaphragm	Standard	64	Standard	Standard	380	800	175	65	26.4
PB-610	58.2	Diaphragm	Standard	64	Standard	Standard	530	900	185	72	24.1
PB-620	58.2	Diaphragm	Standard	64	Standard	Standard	530	900	185	72	20.9
PB-755SH/T	63.3	Rotary	Standard	68	Standard	N.A.	620	1240	205	74	24.7
PB-755H/T	63.3	Rotary	Standard	65.8	Standard	Standard	625	1260	205	74	26.2

\* Measured at end of pipe. \*\* Measured at the housing. † per ANSI B175.2-2002. #With standard pipes. ±Without purge pump. Extra-flexible tube



Comfortable operation coupled with low noise performance.

• 65 dB(A)\*

1 = + / / /

- Ideal for noise sensitive environments
- 25.4 cc Power Boost Vortex<sup>™</sup> engine
- 30% reduction in starting effort
- Posi-loc<sup>™</sup> pipe connection system
- Padded backrest and shoulder straps
- Variable speed throttle with cruise control



\* Per ANSI B175.2-2002



## PB-413

Provides dependable operation and exceptional comfort for long hours of operation.

- 44 cc Power Boost Tornado™ engine
- Easy-to-reach, tube-mounted or hip-mounted (shown) throttle with cruise control
- 64 fl. oz. see-through fuel tank provides for extended run times

Pleated, automotive-type commercial air filter



### ECHO Quality Backed by an Extensive Warranty



All ECHO Backpack Blowers feature a 5 year\* consumer, 2 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.

## PB-410

Heavy-duty blower with metal frame construction, metal fan housing and a powerful engine.

- 39.7 cc Power Boost Tornado™ engine
- Variable speed hip-mounted throttle
- Built in backrest and vibration isolators for greater comfort
- Converts to mister with optional attachment
- Commercial-grade air filter



### PB-460LN QUIET 1TM

Ultra quiet at only 65 dB(A)<sup>\*</sup> at wide-open throttle with patented sound attenuation technology.

- 44 cc Power Boost Tornado™ engine
- Ideal for noise-sensitive environments
- Variable speed left hip-mounted throttle assembly with cruise control
- Padded backrest and easy-to-adjust shoulder straps
- Super-duty, automotive-type commercial air filter
- Roll cage-type frame is light-weight for durability

\* Per ANSI B175.2-2002

### 800.432.ECHO



Designed with the professional in mind, unsurpassed in power and durability.

- 58.2 cc Power Boost Tornado™ engine
- Variable speed left hip-mounted throttle with cruise control
- 64 fl. oz. see-through fuel tankSuper-duty, automotive-type
- commercial air filter
  Roll cage-type frame offer
- Roll cage-type frame offers engine protection





## PB-620

The standard for light-weight and operator ergonomics, delivers commercial-grade power at the pipe.

- 58.2 cc Power Boost Tornado™ engine
- Variable speed tube-mounted throttle with cruise control
- 64 fl. oz. see-through fuel tank
  Pleated, automotive-type commercial air filter
- "L" shaped frame provides light weight while maintaining durability





ECHO-exclusive Posi-loc™ pipes ensure a secure pipe connection at all times.



((=+;/))

## PB-755S

### ECHO's most powerful blower.

- 63.3 cc Power Boost Tornado<sup>™</sup> engine
- Easy-to-reach, tube-mounted throttle with cruise control
- Full, wide angle tube rotation for increased operator mobility
- Extra flexible tube for easy cold weather operation

Generation Contraction



300 BURABILITY B A T IN G

ECHO's most powerful blower coupled with super-duty air-filtration.

- 63.3 cc Power Boost Tornado™ engine
- Easy-to-reach, tube-mounted or hip-mounted throttle with cruise control
- Super-duty, automotive-style filtration
  Short, hip-mount throttle for easy use
- Short, hip-mount throttle for easy use and simple maintenance (PB-755H)
- Full, wide angle tube rotation for increased operator mobility
- Extra flexible tube for easy cold weather operation

Posi-loc

300 DURABILITY B A T I N G



וןיןיאד א

Outstanding low noise performance and light weight.

- "Rotational Control" technology increases comfort •
- 25.4 cc Power Boost Vortex<sup>™</sup> engine •
- 65 dB(A)\* for noise sensitive environments

- Positive locking collar keeps tube secure
- 3-Position top handle for a variety of . blowing conditions
- Parallel handles aid in ٠ directional operation


100081

\* Per ANSI B175.2-2002

- •
- Posi-loc<sup>™</sup> pipe connection system Works with ECHO Mosquito ٠ YardShield™



reduces the effort required to keep the blower from rotating in towards the operator's legs (like most handheld models do) and actually delivers a slight pull away from the operator (green section). The effect makes the blower easier to handle and reduces stress on the operator's arm.



### **ECHO Quality** Backed by an **Extensive** Warrantv



All ECHO Handheld Blowers feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.



### Mosquito YardShield™ Attachment Kit

Attaches to ECHO PB-200, PB-201 or PB-251Blowers to expel an insect abatement agent which kills mosquitoes on contact and creates a protective barrier.



ECHO POWER BLEND® XTENDED LIFETM OIL WITH EVERY BLOWER

800.432.ECHO

48





**PBAM-400E** Turns your ECHO PB-410 blower into a high-productivity mister for greenhouse and garden insect control applications. Sprays up to 20'.

### **BLOWER ACCESSORIES**



Rain Gutter Cleaning Kit Makes year-round gutter cleaning easier. Tubes are approximately 7' long when assembled.



**Blower Tube Helper Handle** Accurately direct your blower velocity to where it's most productive.

		Mister At- tach- ment	Replace- ment Vacuum Bags	Shou Stra		Tube Mou Throttle	G G	Rain utter Kit	Blo Han	wer dles	Blo	rved wer be**	Posi-loc™ Curved Blower Tube	Static Protec- tion Kit	Mosquite YardShiele Attachme Kit
Compatible ECHO Power Blower Units*	PBAV-1000 PBAV-4600	PBAM-400E	99944100205 99944100215	30100505060	99944100030	99944100001 99944100002	99944100003 99944100010	99944100025	001106 201100	99944100020	21002303461	99944200222	E165000160	900500	99944200300
PB-200/201							٠								٠
PB-210/211					•		•								
PB-210E					٠		•								
PB-2100					•		•								
PB-230lN/231lN					٠		٠								
PB-2400					٠		•								
PB-24LN					•		•								
PB-251								•							•
PB-260L/261L							٠			•	٠			٠	
PB-265L								•							
PB-400							•								
PB-400E		•					•		•	•					
PB-403/413	•						٠			٠				٠	
PB-410/411		•					•		•	•				•	
PB-4600	•						•			•				•	
PB-46LN	٠					•	٠		•	•				٠	
PB-46HT	•					•	•		•	•				•	
PB-460LN/461LN	•					•	•		•	•				•	
PB-600	٠					• •	•		•	•		•		٠	
PB-601	•						•					•		•	
PB-610	•					•		•	•				•	•	
PB-620	٠							•					٠	٠	
PB-651							•	•	•				•	•	
PB-751							•	•	•				•	•	
PB-755S								•	•				•		
PB-755								•	•			•	•	•	
PB-6000							•							•	
PB-60HT						•	•			•				•	
PB-1000	•			•	•		•								
PB-1010	•			•			•								
ES-1000			•	•			•								
ES-2000			•	•			•								
ES-2100/ES-210			•		•		•								
ES-2400/ES-230			•		•		•								
Vacuum Attachments															
PBAV-300			•												
PBAV-1000			•												
PBAV-1000 PBAV-4500			•												

\* Not all units listed are currently available from production. \*\* Not for use with Posi-loc ™ tubes.



# ASK ANY PRO

ECHI



## MOSQUITO YARDSHIELD<sup>TM</sup> ATTACHMENT KIT

### Take Back the Outdoors! The most effective and cost efficient insect

abatement system is now available. The ECHO Mosquito YardShield<sup>™</sup> Attachment Kit is a backpack tank and a specially-designed nozzle that works with the ECHO PB-200, PB-201 or PB-251 blower. Together they expel an insect abatement agent, which kills mosquitoes and other insects on contact, creating a protective barrier. Simply connect the Attachment to the blower, mix the Mosquito YardShield Concentrate with water in the backpack tank and...Take Back the Outdoors!

ad...Take Back the Outdoors!



### Mosquito YardShield™ Concentrate

Mosquito YardShield<sup>™</sup> Concentrate comes in an easy-to-measure 8 oz. bottle. Simply squeeze 1.25 fl. oz. of concentrate into the measurement reservoir and mix with 1.5 gallons of water. One tank provides up to 15,000 sq. ft. of coverage. Part #99944200310 KILLS MOSQUITOES ON CONTACT

Also controls other flying and crawling insects.

### PROVIDES PROTECTIVE BARRIER

One tank controls insects in a 15,000 sq ft protective barrier.

### TOOL-LESS ASSEMBLY & EASY TO USE

Kit easily attaches to blower and allows effective application in hard to reach breeding grounds.

### 2 USES FOR 1 BLOWER

Easily converts into a powerful handheld blower.







## MULTPPURPOSE ASK ANY PRO



## SHRED 'N' VAC®

**Blow it! Shred it! Bag it!** Anyway you want it, ECHO's versatile Shred 'N' Vac<sup>®</sup> turns yard debris into garden mulch fast. With ECHO's Power Boost Vortex<sup>™</sup> and Power Boost Tornado<sup>™</sup> engines, you have the power to reduce a volume of debris by a ratio of up to 12 to 1. The large two bushel capacity bag minimizes emptying. Both models quickly convert to blower or vacuum applications.

Cruise control is standard on all models

35" long intake tube provides easy reach for shredding and blowing



POWER BLEND

FREE BOTTLE OF

ECHO POWER BLEND® XTENDED LIFETM OIL WITH EVERY SHRED 'N' VAC®

ES-230 converted to a power blower.



Patented 4-blade shredder reduces yard waste by a 12:1 ratio. This minimizes the time and cost required for lawn cleanup.

Faster starts with Pro-Fire® electronic ignition

### ECHO Quality Backed by an Extensive Warranty

All ECHO Shred 'N' Vacs<sup>®</sup> feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.

### SHRED 'N' VAC® SPECIFICATIONS

Model	Engine Displacement (cc)	Carburetor	Fuel Capacity (fl. oz.)	Air Volume(cfm-pipe)	Air Volume(cfm-housing)	Air Speed (mph)	dB(A) Blower/Vac	Dry Weight* (lb)
ES-210	21.2	Diaphragm w/Purge Pump	17	305	340	140	69/71	9.7
ES-230	22.8	Rotary w/Purge Pump	20.3	345	400	155	67/71	11.5
* With blower pipe	s							

Keplacement Bag Part #9994410020

ILLEGHU

### This benef pipes

## ES-210

The ES-210 is ideal for residential lawn maintenance.

- 21.2 cc Power Boost Vortex<sup>™</sup> engine
- Can be used as a handheld shredder/vacuum
- or converted to a handheld blower (pipes included)

  Fully adjustable throttle lock



## ES-230

The ES-230 is especially designed for commercial-duty property maintenance.

- The 22.8 cc Power Boost Tornado™ engine provides up to 20% more torque
- A specially designed, foam-cushioned rear handle provides hours of comfortable usage

ILEGHD

- Housings made of high impact plastic
- New heavy-duty intake tube provides secure housing connection

DURABILITY R A T I N G

WWW.ECHO-USA.COM



## OUICK ASKANY PRO



## HEDGE TRIMMERS

Vibration reduction systems provide operator comfort

i-30™ technology reduces starting effort by 30%

A Cut Above the Rest. For professionals who demand performance, ECHO Hedge Trimmers deliver. They're tough, reliable and loaded with intelligent features like: a throttle lockout to help prevent accidental blade engagement, a commercialgrade gear case and cutters for the heaviest applications, vibration-reducing engine mounts and handles for operator comfort. And Power Boost Vortex<sup>™</sup> and Power Boost Tornado<sup>™</sup> engine technologies are powerful, fuel efficient and environmentally clean.

Throttle lock-out helps prevent

accidental throttle engagement

RazorEdge™ blades are laser cut and precision ground for long-lasting sharpness



HC-165 shown – see page 56 for more product information.

## ECHO Quality Backed by an Extensive Warranty

Consume Warranty

All ECHO Hedge Trimmers feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.

### **HEDGE TRIMMER SPECIFICATIONS**

5-Position rotating rear handle

for a variety of cutting positions

Model	Engine Displacement (cc)	Carburetor (w/Purge Pump)	Fuel Capacity (fl. oz.)	See-through Fuel Tank	Blade Length (in)	Shaft Length (in)	Cutter Type	Dry Weight (lb)
HC-150	21.2	Rotary	16.9	Standard	20	N.A.	Double sided, Double-reciprocating	10.7
HC-150i	21.2	Rotary	16.9	Standard	20	N.A.	Double sided, Double-reciprocating	11.3
HC-165	21.2	Rotary	16.9	Standard	24	N.A.	Double sided, Double-reciprocating	12.1
HC-185	21.2	Rotary	16.9	Standard	30	N.A.	Double sided, Double-reciprocating	12.6
HC-235	21.2	Rotary	15.9	Standard	30	N.A.	Single sided, Double-reciprocating	12.8
HC-245	21.2	Rotary	15.9	Standard	40	N.A.	Single sided, Double-reciprocating	14
SHC-212	21.2	Rotary	15.2	Standard	20	20	Double sided, Double-reciprocating	12.1
SHC-210	21.2	Rotary	15.2	Standard	20	33	Double sided, Double-reciprocating	12.9
SHC-265	25.4	Rotary	16.9	Standard	20	51	Double sided, Double-reciprocating	14
HCA-265	25.4	Rotary	16.9	Standard	20	59	Double sided, Double-reciprocating	15.3

21.2cc Power Boost Vortex™

engine for plenty of power

Commercial-duty air filtration — system provides longer

engine life



Blade design features three sharpened edges for single-pass cutting. (all ECHO Hedge Trimmer models). POWER BLEND FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFE™ OIL WITH VIEW HEDGE TRIMMER

HEDGE TRIMMERS

WWW.ECHO-USA.COM

## HEDGE TRIMMERS

## HC-150

[[] = H'|

High-performing, commercial-grade 20" hedge trimmer.

- 21.2 cc Power Boost Vortex<sup>™</sup> engine
- RazorEdge<sup>™</sup> blades are laser cut and precision ground for long-lasting sharpness and enhanced cutting performance
- 20" double-sided, double-reciprocating blades
- Commercial-duty air filtration system



## HC-165

## Powerful performance in a commercial-grade 24" hedge trimmer.

- 21.2cc Power Boost Vortex<sup>™</sup> engine
- 30% reduction in starting effort
- 5-Position rotating rear handle for a variety of cutting positions
- 24" double-sided, double-reciprocating RazorEdge™ blades
- Commercial-duty air filtration system
- Vibration reduction system isolates front and rear assembly engine and gear case



## HC-235

### Heavy-duty 30" single-sided hedge trimmer.

- 21.2cc Power Boost Vortex<sup>™</sup> engine
- 30% reduction in starting effort
- 30" single-sided, double-reciprocating blades
- Commercial-duty air filtration system
- Vibration reduction system on rear handle



## HC-150 2

Commercial-grade hedge trimmer with our popular i-75™ starting system.

- 21.2 cc Power Boost Vortex<sup>™</sup> engine
- i-75<sup>™</sup> technology provides a 75% reduction in starting effort
- 20" double-sided, double-reciprocating blades
- Commercial-duty air filtration system



## HC-185

### Commercial-grade 30" double-sided hedge trimmer.

- 21.2cc Power Boost Vortex<sup>™</sup> engine
- 30% reduction in starting effort
- 5-Position rotating rear handle for a variety of cutting positions
- 30" double-sided, double-reciprocating RazorEdge™ blades
- Commercial-duty air filtration system
- Vibration reduction system isolates front and rear assembly engine and gear case



## HC-245

Commercial-grade 40" single-sided hedge trimmer.

- 21.2cc Power Boost Vortex<sup>™</sup> engine
- 30% reduction in starting effort
- 40" single-sided, double-reciprocating blades
- Commercial-duty air filtration system
- Vibration reduction system on rear handle



## HEDGE TRIMMERS



## HCA-265

## A 59" shaft for long-reach cutting ability and 180° of operational articulation.

- 25.4cc Power Boost Vortex<sup>™</sup> engine
- 30% reduction in starting effort
- 20" double-sided, double-reciprocating RazorEdge™ blades
- Articulating gear case allows blade adjustment in 15° increments with a total range of 180°
- Commercial-duty air filtration system
- Extra heavy-duty engine vibration reduction mount and rubber over-mold handles

### Hedge Trimmer Spanish Safety Video (VHS) Part #99922203513

Part #89857008962

Part #99922202806

Hedge Trimmer Safety Manuals

Hedge Trimmer Safety Video (VHS)

ECHO Safety Video (DVD) Part #99922203905 ECHO Spanish Safety Video (DVD) Part #99922203909

**Hedge Trimmer Safety Manuals & Videos** 

Shown with optional left handle

## SHC-210

DURABILITY

Superior reach and balance with state-of-the-art, shaft-type design.

- 21.2 cc Power Boost Vortex<sup>™</sup> engine
- 33" shaft increases reach and limits stooping to cut low growth
- Shaft hedge trimmer mounts engine and blade set on opposite sides of shaft for greater balance
- 20" double-sided, double-reciprocating RazorEdge™ blades
- Vibration-reducing engine mounts and handles for increased comfort



## SHC-212

Short shaft provides great maneuverability and outstanding balance.

- 21.2 cc Power Boost Vortex<sup>™</sup> engine
- 20" shaft makes it the lightest shafted hedge trimmer in its class
- 20" double-sided, double-reciprocating RazorEdge™ blades
- Vibration-reducing engine mounts and handles for increased comfort

## ECHO Quality Backed by an Extensive Warranty



All ECHO Hedge Trimmers feature a 5 year<sup>\*</sup> consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module. Models HC-235 and HC-245 have a 2 year gear case component warranty. Models SHC-210, SHC-212, SHC-265 and HCA-265 carry a lifetime warranty on the flexible cable drive.

\*Visit www.echo-usa.com/5year to learn more.

## SHC-265

ECHO's longest SHC unit with a high-performing engine.

- 25.4cc Power Boost Vortex<sup>™</sup> engine
- 30% reduction in starting effort
- 20" double-sided, double-reciprocating RazorEdge™ blades
- 51" shaft enables operator to trim tall hedges
- 7° angled shaft provides a wide-angle view for trimming complex shapes
- Commercial-duty air filtration system
- Extra heavy-duty engine vibration reduction mount



### WWW.ECHO-USA.COM







## RELLABLE ASKANY PRO



## GAS POWERED SPRAYERS

### A Complete Line of Quality Sprayers for Every Need.

Whether you require a heavy-duty, gas-powered sprayer or a reliable manual sprayer, ECHO has you covered. ECHO Sprayers apply herbicides, pesticides and fertilizers evenly and cleanly – up to 20' away! Our sprayers are engineered for reliable, dependable, commercial use. The powerful MS-40 and MS-50 sprayers feature safety check valves to prevent leaks, a recirculating agitator to keep chemicals mixed and an ergonomic shoulder strap assembly for improved operator comfort.



MECH

2-head spray nozzle

Wide 6" mouth opening provides for easy filling and cleaning



 Heavy-duty tank, treated with UV inhibitors



For big jobs, ECHO's SHR-210 gas-powered backpack sprayer with optional jet nozzles can spray up to 20'. For smaller jobs, ECHO offers a complete line of manual sprayers.

### durability and long life

Metal wand for

### ECHO Quality Backed by an Extensive Warranty

nty

All ECHO Sprayers feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty. The SHR-210 features a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.

### Power Blend

FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFE™ OIL WITH EVERY SHR-210 SPRAYER

### SHR-210 SPRAYER ACCESSORIES

Part Number	Description
22410110610	4-Head Ring Nozzle (Non-Adjustable)
22410410611	7-Head Line Nozzle
22420110611	2-Head T Nozzle
22420210611	2-Head Nozzle (Line-Type)
22420310611	Standard Nozzle
P050000030	Pistol Grip Adjustable Nozzle
E025000260	Long Adjustable Jet Nozzle
22410310610	Short Adjustable Jet Nozzle
E270000030	Nozzle Pipe
99090185025	75' Extension Hose

High performance, 2-stroke engine with Pro-Fire® electronic ignition

## SHR-210

Gas-powered backpack model for the toughest applications.

- Recirculating pump keeps chemicals mixed while allowing engine to run without building excessive pressure
- 21.2 cc Power Boost Tornado™ engine
- Tank drain for easy and controlled chemical removal
- Sprays up to 20' with optional jet nozzles for
- hard-to-reach places
- Shoulder straps



	7						
Model	Engine Displacement (cc)	Tank Capacity (gal.)	Fuel Capacity (fl. oz.)	Maximum Discharge (gal./min.)	Pressure Rating (psi)	Dry Weight (lb)	
SHR-210	21.2	5	17.6	1.9	Up to 145	17.1	

## SPRAYERS

## MS-20

Light-weight, 2.2 gallon tank delivers extended run time and easy portability.

- · Heavy-duty polyethylene tank with UV inhibitors
- 16" brass wand with adjustable nozzle
- Critical seals and O-rings made of Viton™ formulation allow extended use of chlorine, Clorox<sup>®</sup> and other harsh chemicals
- Heavy-duty, corrosion-resistant polymer pump for longer life, less maintenance
- Integrated handle and wand holder for easy pumping, carrying and wand storage

### MS-35

Versatile, 4 gallon commercial-grade sprayer.

- Heavy-duty polyethylene tank with UV inhibitors
- 16" brass wand with adjustable nozzle
- Flat, stable base reduces risk of accidental tipping
- Critical seals and O-rings made of • Viton<sup>™</sup> formulation allow extended use of chlorine, Clorox® and other harsh chemicals
- Heavy-duty, flexible handle provides added comfort
- Replaceable spray gun provides quick change-out for replacement, repair or maintenance

### **ECHO Quality** Backed by an **Extensive** Warrantv



All ECHO Sprayers feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty. The SHR-210 features a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.

## MS-4

Commercial favorite, 4 gallon backpack sprayer with steady flow diaphragm pump.

- 16" brass wand with adjustable brass nozzle •
- Safety check valve prevents leaks if tank is tipped Critical seals and O-rings made of Viton™

IECH

- formulation 6" mouth for easy filling and cleaning



## MS-40

Heavy-duty, 4 gallon backpack model with piston pump makes this the choice for extended spraying.

- Heavy-duty polyethylene tank with UV inhibitors
- Critical seals and O-rings made of special Viton™ formulation allow extended use of chlorine. Clorox<sup>®</sup> and other harsh chemicals
- 16" brass wand with fan spray nozzle
- Safety check valve prevents leaks if tank is tipped
- 6" mouth for easy filling and cleaning
- Steel pump handle folds back for easy transport and storage
- Premium quality spray pistol with brass shut-off pin and double O-rings
- Agitator paddle keeps wetable powders mixed

## SPRAYERS



## MS-50

Large 5.4 gallon tank with heavy-duty piston pump makes this the sprayer for professional applications.

- Heavy-duty polyethylene tank with UV inhibitors
- 20" brass wand with adjustable brass nozzle
- Safety check valve prevents leaks if tank is tipped
- Critical seals and O-rings made of special Viton<sup>™</sup> formulation allow extended use of chlorine, Clorox® and other harsh chemicals
- 6" mouth for easy filling and cleaning
- Premium quality spray pistol with brass shut-off pin and double O-rings
- Deluxe, padded straps provide comfort
- Agitator paddle keeps wetable powders mixed

### **MS-100**

ECHO's finest, deluxe manual sprayer has a unique piston/ diaphragm pump designed for long life.

- Heavy-duty 4.5 gal. polyethylene tank with UV inhibitors
- Brass shut-off pin and double O-rings deliver longlasting spray pistol performance
- 20" brass wand with adjustable brass nozzle
- Safety check valve prevents leaks if tank is tipped
- Critical seals and O-rings made of Viton<sup>™</sup> formulation
- 6" mouth for easy filling and cleaning
- Carrying handle in cap. Solid steel pump handle folds back for easy transport and storage



#### Shoulder Straps All Sprayers come complete with ergonomically designed

with ergonomically designed shoulder straps for greater operator comfort.



## **SPRAYERS**

### **MANUAL SPRAYER SPECIFICATIONS**

Model	Tank Capacity (gal.)	Pressure Rating (psi)	Dry Weight (lb)	
MS-20	2.2	15–40	4.2	Note:
MS-35	4	15–40	7	One gallon of
MS-4	4	15–70	9.8	water weighs approximately
MS-40	4	15–168	10.6	eight pounds.
MS-50	5.4	15–168	12.2	
MS-100	4.5	15–150	10.9	

### **RECOMMENDED APPLICATIONS**

Model	MS-20	MS-35	MS-4	MS-40	MS-50	MS-100	SHR-210
Chlorine Bases	•	•		•	•		
Fertilizers	•	•	•	•	•	•	•
Herbicides	•	•	•	•	•	•	•
Insecticides	•	•	•	•	•	•	•
Pesticides	•	•	•	•	•	•	•
Oil Based Sprays	•	•	•	•	•	•	•
Solvent Based Sprays	•	•	•	•	•	•	•
Stains/Sealers	•	•	•	•	•	•	•
Wettable Powders	•	•	•	•	•		•

### **MANUAL SPRAYER ACCESSORIES**

Part Number	Description	Part Number	Description	Part Number	Description
99944100310	16" Brass Wand	99944100430	78" Fiberglass Spray Wand	99944100360	14.5 psi Valve Regulator (Yellow)
99944100240	26" Brass Wand	99944100470	Universal Spray Gun, 16" Brass Wand and	99944100370	21 psi Valve Regulator (Red)
99944100220	66" Brass Wand		Adjustable Brass Nozzle (for all 3/8" Hoses)	99944100380	29 psi Valve Regulator (Blue)
99944100440	22.8–37" Telescoping Fiberglass Spray Wand	99944100330	Spray Gun Assembly	99944100080	Small Spray Shield
99944100410	39" Fiberglass Spray Wand	99944100340	Adjustable Brass Spray Nozzle	99944100460	Large Spray Shield
99944100420	60" Fiberglass Spray Wand	99944100320	Adjustable Plastic Spray Nozzle	99944100190	Long Strap Kit
		99944100350	Fan Spray Nozzle/Deck Sealing		

## *ILLER/CULTIVATOR*

### Turn Your Most Difficult Tilling Jobs into Easy

**Productive Work.** Light-weight for comfort, yet heavy-duty for performance, the ECHO TC-210i Tiller/Cultivator features ECHO's exclusive i-75<sup>™</sup> system which reduces the required starting effort by 75%. This makes the TC-210i quite possibly the easiest to use of all your powered garden tools. Features include a 21.2 cc Power Boost Vortex<sup>TM</sup> engine with electronic ignition, quad port emission technology and a purge-pump-equipped carburetor for quick, dependable starts. A worm gear-type transmission provides high rpm and high tine torque for tough soil conditions. Four, 10-tooth tines dig furrows up to 9" wide and 6" deep. The TC-210i is also ideal for aerating soil and keeping your beds weed-free.

Right control incorporates throttle control and stop switch

### ECHO Quality Backed by an Extensive Warranty



ECHO's Tiller/Cultivator features a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the tines and ignition module.

\*Visit www.echo-usa.com/5year to learn more.





TILLER/CULTIVATOR



"E-Z" Lift helper handle

Four, 10-tooth reversible.

hardened-steel tines with

lifetime warranty



FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFE™ OII WITH EVERY TILLER/CULTIVATOR

## TC-210

### Tremendous performance from a small package.

- i-75<sup>™</sup> technology provides a 75% reduction in starting effort
- Stop switch and throttle control located at operator's fingertips
- Worm gear-type transmission (42:1 reduction) provides high tine rpm and high torque
- Four, 10-tooth tines provide smooth tilling action for up to 9" wide furrows
- Reversible, hardened-steel tines have a lifetime warranty



Power Boost Vortex™ engine with Pro-Fire® electronic ignition, plus a purge-pump-equiped, all-position carburetor for quick, easy starts

> \_ECHO's exclusive i-75™ system reduces starting effort by 75%

 Worm gear-type transmission for maximum performance and dependability

### 800.432.ECHO

## CUT-OFF SAWS

Adjustable wheel shield



## CSG-670

Super rugged, super efficient 12" cut-off saw.

- 66.7 cc high performance, 2-stroke engine
- High speed governor maintains engine speed between 9,500 and 10,500 rpm; wheel speed ranges between 4,750 and 5,250 rpm
- Accommodates 20 mm inner diameter 12" wheels
- Cutting arm position is reversible for center or flush cuts

Note: This unit uses 12" diameter cutting wheels only.



### CSG-680

Top-of-the-line cut-off saw accepts 12 or 14" wheels.

- 66.7 cc high performance, 2-stroke engine
- High speed governor maintains engine speed between 9,500 and 10,500 rpm; wheel speed ranges between 4,750 and 5,250 rpm
- Wheel position is reversible for center or flush cuts
- 25 mm inner diameter wheels may be used with optional adapter 99944700200
- Compensating diaphragm carburetor maintains consistent cutting power under load

CSG-680 with Water Kit attached

Exclusive Pro-Fire® electronic ianition with slope advance timina

Cutting wheel sold separately

FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFEM OIL

2:1 engine-to-wheel speed ratio for greater cutting torque

> Wide metal shield support stand with rubber flap helps protect operator from flying

dust

Vibration reduction system

Grouped controls include

### **CUT-OFF SAW ACCESSORIES**

3-stage air filtration system

Part Number	Description
99944700181	Water Kit
99944700191	Storage Case
99944700200	25 mm Wheel Adapter Kit —
	Operate 25 mm wheels on 20 mm arbor
61102207061	25 mm Abrasive Wheel Adapter

### ECHO Quality Backed by an **Extensive Warrantv**



ECHO's Cut-Off Saws feature a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.

### **CUT-OFF SAW SPECIFICATIONS**

Model	Engine Displacement (cc)	Engine Displacement (cu. in.)	Fuel Capacity (fl. oz.)	Cutting Wheel* (dia.) (mm)	Arbor Size (mm)	Dry Weight (lb)
CSG-670	66.7	4.07	21	305 x 20 (12")	20	23.8
CSG-680	66.7	4.07	21	355 x 20 (14")	20	25.1

\*Note: Cutting wheels sold separately.

### WHEELS\*

Wheel Description	Application	Part Number	Wheel Description	Application
12", 25 mm Diamond	General Purpose	99944700011	12", 20 mm Diamond	General Purpose
12", 25 mm Abrasive	Concrete	99944700080	12", 20 mm Abrasive	Concrete
12", 25 mm Abrasive	Asphalt	99944700070	12", 20 mm Abrasive	Asphalt
12", 25 mm Diamond	Asphalt Over	99944700015	12", 20 mm Diamond	Asphalt Over
	Concrete			Concrete
12", 25 mm Abrasive	Ductile Iron	99944700090	12", 20 mm Abrasive	Ductile Iron
12", 25 mm Abrasive	Metal	99944700100	12", 20 mm Abrasive	Metal
14", 25 mm Diamond	General Purpose	99944700013	14", 20 mm Diamond	General Purpose
14", 25 mm Abrasive	Concrete	99944700057	14", 20 mm Abrasive	Concrete
14", 25 mm Abrasive	Asphalt	99944700053	14", 20 mm Abrasive	Asphalt
14", 25 mm Diamond	Asphalt Over	99944700017	14", 20 mm Diamond	Asphalt Over
	Concrete			Concrete
14", 25 mm Abrasive	Ductile Iron	99944700063	14", 20 mm Abrasive	Ductile Iron
14", 25 mm Abrasive	Metal	99944700067	14", 20 mm Abrasive	Metal
	12°, 25 mm Diamond 12°, 25 mm Abrasive 12°, 25 mm Abrasive 12°, 25 mm Diamond 12°, 25 mm Abrasive 12°, 25 mm Abrasive 14°, 25 mm Abrasive 14°, 25 mm Abrasive 14°, 25 mm Abrasive 14°, 25 mm Abrasive	12*, 25 mm Diamond     General Purpose       12*, 25 mm Abrasive     Concrete       12*, 25 mm Abrasive     Asphalt       12*, 25 mm Diamond     Asphalt Over       12*, 25 mm Diamond     Asphalt Over       12*, 25 mm Abrasive     Ductile Iron       12*, 25 mm Abrasive     Metal       14*, 25 mm Diamond     General Purpose       14*, 25 mm Abrasive     Concrete       14*, 25 mm Abrasive     Asphalt       14*, 25 mm Diamond     Maphalt       14*, 25 mm Diamond     Maphalt       14*, 25 mm Diamond     Maphalt       14*, 25 mm Diamond     Maphalt	12*, 25 mm Diamond         General Purpose         99944700011           12*, 25 mm Abrasive         Concrete         99944700080           12*, 25 mm Abrasive         Asphalt         99944700070           12*, 25 mm Diamond         Asphalt Over         99944700015           2*, 25 mm Diamond         Asphalt Over         99944700015           12*, 25 mm Abrasive         Ductile Iron         99944700000           12*, 25 mm Abrasive         Ductile Iron         99944700000           12*, 25 mm Abrasive         Metal         99944700010           14*, 25 mm Abrasive         Concrete         99944700057           14*, 25 mm Abrasive         Asphalt         99944700053           14*, 25 mm Diamond         Asphalt         99944700053           14*, 25 mm Diamond         Asphalt Over         99944700053           14*, 25 mm Abrasive         Ductile Iron         99944700017           Concrete         14*, 25 mm Abrasive         Ductile Iron         99944700017	12', 25 mm Diamond         General Purpose         99944700011         12', 20 mm Diamond           12', 25 mm Abrasive         Concrete         99944700080         12', 20 mm Abrasive           12', 25 mm Abrasive         Asphalt         99944700070         12', 20 mm Abrasive           12', 25 mm Abrasive         Asphalt         99944700070         12', 20 mm Abrasive           12', 25 mm Diamond         Asphalt Over Concrete         99944700015         12'', 20 mm Abrasive           12', 25 mm Abrasive         Ductile Iron         99944700000         12'', 20 mm Abrasive           12', 25 mm Abrasive         Metal         99944700100         12'', 20 mm Abrasive           14'', 25 mm Diamond         General Purpose         99944700057         14'', 20 mm Abrasive           14'', 25 mm Abrasive         Concrete         99944700057         14'', 20 mm Abrasive           14'', 25 mm Abrasive         Asphalt         99944700057         14'', 20 mm Abrasive           14'', 25 mm Diamond         Asphalt Over Concrete         99944700017         14'', 20 mm Abrasive           14'', 25 mm Diamond         Asphalt Over Concrete         99944700017         14'', 20 mm Abrasive           14'', 25 mm Abrasive         Ductile Iron         99944700017         14'', 20 mm Abrasive

Note: 14" wheels can be used on the CSG-680 only.

### WWW.ECHO-USA.COM



### EARTH AUGER SPECIFICATIONS

	Model	Engine Displacement (cc)	Carburetor	Maximum Torque at Engine <sup>‡</sup>	Maximum Torque at Auger <sup>‡</sup>	Fuel Capacity (fl. oz.)	<b>RPM</b> ‡	Dry Weight§ (lb)
E	A-500	51.7	Diaphragm	1.89 ft/lb	57.11 ft/lb	37.2	230	22
			w/Purge Pump	(2.56 Nm)	(77.39 Nm)			

‡ At maximum engine power. § Without auger

99944900250

99944900260

99944900300

99944900310

99944900270

99944900370

99944900275

99944900280

99944900290

8" Replacement Blade – Earth Auger

10" Replacement Blade – Earth Auger

8" Replacement Blade - Ice Auger

10" Replacement Blade - Ice Auger

2" Replacement Point – Earth Auger

1" Replacement Point – Earth Auger

Replacement Point – Ice Auger

8" Ice Auger Dual Blade

10" Ice Auger Dual Blade

## ENGINE DRILLS

Heavy-duty keyless chuck holds up to 1/2" drill shank



Throttle lock-out prevents accidental drill bit rotation

## EDR-260

Cordless convenience in a heavy-duty drill.

- Heavy-duty gear reduction converts engine power into tough drilling torque
- All-position diaphragm with purge pump carburetor allows operation at any angle
- 1/2" keyless chuck
- Reversible function



## ECHO Quality Backed by an Extensive Warranty



ECHO Engine Drills feature a 5 year<sup>\*</sup> consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.



The EDR-210 and EDR-260 offer a reversing feature for maximum operator convenience and versatility. Ergonomic front handle Commercial-duty air provides a comfortable grip for filtration system long hours of operation

> See-through fuel tank with 14 fl oz capacity (standard on all units)

> > Sturdy double rear support bracket

## POWER BLEND

FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFE™ OIL WITH EVERY ENGINE DRILL

### **DRILL ACCESSORIES**

Part Number	Description	Diameter	Length
99944900010	Bulb and Plant Auger	2 -1/2"	24"
99944900020	Bulb and Plant Auger	3"	24"
99944900040	Deep Root Feeding Auger	1-1/8"	24"
99944900060	Heavy-Duty Auger	3"	18"
99944900070	Gallon Pot Auger	7"	12"
99944900110	5-10 gal Paint Mixer	—	20"
99944900320	Keyless Chuck	—	—
C40000090	Heavy-Duty Front Handle	—	—
99944900140	Heavy-Duty Rear Support Stand*	—	—
60405105560	Heavy-Duty Chuck with Key	—	—

\* Available for EDR-210 only.

### **DRILL SPECIFICATIONS**

Model	Engine Displacement (cc)	Gear Reduction Ratio	RPM	Torque (ft. lb)	Maximum Chuck Diameter	Dry Weight* (lb)
EDR-210	21.2	17.1:1	0–450	90	1/2" Standard	10.0
			Forward/Reverse			
EDR-260	25.4	17.1:1	0–650	110	1/2" Keyless	10.7
			Forward/Reverse			

Pro-Fire® electronic ignition for quick easy starts

\* Without drill bit.





## WATER PUMP

### Designed and Manufactured to Perform

**in the Most Adverse Conditions,** ECHO's WP-1000 Water Pump features an all-die-cast aluminum pump housing for light weight and durability. A quality pump delivers high flow output for professional-grade applications.



### ECHO Quality Backed by an Extensive Warranty



The ECHO Water Pump features a 5 year\* consumer, 1 year commercial and 90 day rental warranty as well as a lifetime warranty on the ignition module.

\*Visit www.echo-usa.com/5year to learn more.

### WP-1000

Ideal for general purpose pumping, draining, filling, and lawn and garden irrigation.

- Discharges up to 28 gal. per min and 1,680 gal. per hr
- Cast iron volute for added durability
- 21.2 cc engine with Pro-Fire® electronic ignition
- Comes complete with intake hose and filter
- Maximum suction lift of 24.6'
- Total vertical discharge up to 95'





Garden Hose Adapter Part #38200512620



**POWER BLEND** 

FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFE™ OIL WITH EVERY PUMP

Suction Hose Part #38201312620

### **PUMP SPECIFICATIONS**

Model	Fuel Capacity	Run Time	Maximum Delivery	Maximum Suction Lift	Maximum Total Head	Hose Size Inlet/Outlet	Dimensions	Dry Weight
	(fl. oz.)	(min.)	(gal./min.)	(ft.)	(ft.)	(in.)	(in.)	(lb)
VVP-1000	14	40	28	24.6	95	1	12.5 L x 9.5 W x 12.5 H	12.3

STRANSFORMED & CONTRACTOR STRANSFORMED AND CONTRACTOR STRANSFORMED & CONTRACTOR STRANSFORMED & CONTRACTOR STRANSFORMED

### 800.432.ECH0

## WATER PUMP

66

## ECHO OIL



### ECHO POWER BLEND OIL

Ultimate, universal 2-stroke oil is manufactured exclusively for ECHO. As a result of extensive research, Power Blend<sup>®</sup> XTended Life™ Oil :

- Is a synthetic blend oil that's certified for use in all air-cooled, 2-stroke, outdoor power equipment engines
- Exceeds ISO-L-EGD and JASO M345/FD requirements
- Has superior cleaning capabilities
- Minimizes exhaust port blockage
- Protects against rust, wear and corrosion
- Provides low smoke emissions
- Contains a fuel stabilizer that doubles fuel life



FREE BOTTLE OF ECHO POWER BLEND® XTENDED LIFE™ OIL WITH EVERY ENGINE POWERED PRODUCT



**POWER BLEND** 

### ECHO POWER BLEND® ULTIMATE, UNIVERSAL 2-STROKE OIL

Part Number	Pre-Measured Container	Fuel Mix
6450000	2.6 fl. oz. (loose)	1 gal.
6450001	2.6 fl. oz. (6-pack)	1 gal.
6450002	5.2 fl. oz.	2 gal.
6450025	6.4 fl. oz.	2.5 gal.
6450005	13 fl. oz.	5 gal.
6450006	16 fl. oz.	6 gal.
6450051	1 gal. bottle	50 gal.
6450250	5 gal. pail	250 gal.
6452750	55 gal. drum	2,750 gal.
6450009	Oil measuring cup (4 fl. oz. capacity)	

To help ensure the performance and proper operation of your ECHO product, use only an oil which meets ISO-LEGD standards and is JASO M345/FD registered. ECHO premium PowerBlend® XTended Life™ oil is specifically formulated to meet these standards.

### ECHO Max Performance™ Bar and Chain Oil

Specially formulated with detergents, dispersants and tacifiers that provide extra protection against heat and dirt build-up, reduce wear and improve metal-to-metal lubrication. Especially beneficial for hi-revving chain saws and rescue saws.

Part #99988800052 1 gal. bottle



### ECHO XTended Protection™ Lubricant

ECHO Lubricant is a multi-function, lithium-based grease that provides long lasting protection in all ECHO gear cases and cables. It is virtually impervious to water washout and will not cambine with water.







Part #91015 14 oz cartridge

#### Part #91014 8 oz tube

### Part #91016 Grease gun (8 oz tube only)

ECHO Bar and Chain Oil


A special blend of lubricants and detergents that maximizes lubricity, reduces heat caused from bar and chain friction, minimizes resin build-up, and facilitates chip and dust removal.

Exceeds ISO-L-EGD

and JASO M345/FD requirements

Part #6459012 Part #6459007





CHO OII





ANY PRO



MA

14:10

## ACCESSORIES FOR CHAIN SAWS



Chain Saw Carry Bag Durable nylon bag features compartments for oil and tools and a padded shoulder strap. Fits saws with up to 20" bars and chains. Part #103942147



Camouflage Chain Saw Carry Bag Durable nylon bag, in ADVANTAGE® MAX-4<sup>™</sup> camo pattern for the outdoor enthusiast, features many compartments and a padded shoulder strap. Fits saws with up to 20" bars and chains. Part #103942148



Chain Saw Case with Fixed Nose Fits saws up to 20" bar and chain. Part #99988801205



Chain Saw Case with Removable Nose Fits saws up to 16" bar and chain. Part #99988800207



QuikVent<sup>™</sup>/Cut-Off Saw Steel Case Powder-coated, 18 gage steel case features 2 internal accessory compartments and fits all ECHO QuikVent and Cut-off Saw models. 31.5"L x 12.25"D x 16"H. Part #99944700191



Helmet with Earmuffs Part #103942160



Helmet only Part #102922010 Visor Adapter only

Part #102922009 Steel Mesh Screen only Part #102922011

Polycarbonate Face Shield only Part #102922035 Four-point suspension system provides head, face and hearing protection in one unit.

- All components are designed for maximum comfort and protection
- Meets new OSHA logging regulations
  - Noise Reduction Rating (NRR) of 22
  - Replacement components are available

### ECHO Premium Protective Chaps

ECHO Premium Protective Chaps are manufactured using DuPont™ KEVLAR® material for superior strength and durability.



36" KEVLAR® Chain Saw Chaps Part #103942143

40" KEVLAR® Chain Saw Chaps Part #103942144



MERIT

20" Bar & Chain Scabbard

17" Bar & Chain Scabbard Part #89850308032



Top Handle Chain Saw Debris Shield Prevents small debris from entering the chain saw's air intake. The small, plastic shield easily attaches with a tab-catch system over the existing air intake area of the ECHO CS-330T, CŠ-330MX4 and CS-360T models. Part #99988800307

1 = + / / /. ACCESSORIES

### **Safety Manuals and Videos**

ECHO Safety Manuals are available in English, Spanish and French.

Pole Saw safety manual Part #X752000000

Brushcutter/Trimmer/Clearing Saw safety manual Part #X752000041

Hedge Trimmer safety manual Part #89857008962

Chain Saw safety manual Part #X752000020

Brushcutter/Trimmer safety overview video (VHS)
Part #99922202540

Hedge Trimmer safety overview video (VHS) Part #99922202800 Pole Saw safety overview video (VHS) Part #99922203100

Chain Saw safety overview video (VHS) Part #99922203753

Hedge Trimmer Spanish safety video (VHS) Part #99922203513

Brushcutter/Trimmer Spanish safety video (VHS) Part #99922203508

QuikVent™ training in use video (VHS) Part #99922203365



QuikVent™ sales video (VHS). Part #99922203364

Chain Saw Spanish safety video (VHS) Part #99922203765

Chain Saw Spanish safety video (DVD) Part #99922203764

ECHO Safety Video (DVD) Part #99922203905

ECHO Spanish Safety Video (DVD) Part #99922203909



### **ECHO Safety Glasses**

ECHO safety glasses are lightweight and impact resistant. Hard-coated optical-grade, abrasion resistant, polycarbonate lenses offer 99.9% protection from the most intense UV rays. Some models include side shields for increased user protection. All models meet applicable ANSI Z87.1-2003 performance criteria (except where noted).



ECHO apparel is available online at ECHO's eStore. Visit our web site and click the eStore tab to learn more.

**Clear safety glasses.** Part #102922051



Black temple with smoke lens. Part #102922054



Wrap-around safety glasses. Part #102922450



Pro-II safety glasses. Part #102922452

Black upper frame with smoke lens. Part #102922053



~

## ACCESSORIES



### Reusable Vinyl Earplugs with Case

The handy carrying case can be worn on your belt when not in use. Cleanup is easy with just warm water. ANSI and OSHA approved. Part #103942210



#### **Brushcutter System**

With steel mesh visor and earmuffs, this system offers excellent face and ear protection while trimming or clearing brush. Part #103942230



#### Adjustable Sun Hat

Light-weight, beige colored hat features adjustable elastic band and full head and neck sun protection. Part #103942080





These light-weight earmuffs have an NRR of 22 dB(A) when used as directed and meet ANSI Standard 3.19. Part #103942171

**Hearing Protection** 



Shin Guards Easy-on, easy-off design provides protection and helps keep pants clean. Washable vinyl outer shell. Part #103942180



#### **Equipment Bag**

Convenient carryall for accessories includes plastic interior for carrying muddy boots and other items. Part #103942145



### Criz-Croz Gloves

Knitted, bright orange gloves feature PVC criz-croz pattern for excellent grip. Reversible. Comfortable in hot, humid weather. Part #103942190



Sport/Landscape Gloves Flexible nylon gloves with formfitting fingers and Velcro®-type wrist band for tight fit. Machine washable. Part #103942194 (Medium) Part #103942196 (Large) Part #103942197 (XLarge)



#### Vibration-Reducing Sport/Landscape Gloves Premium, padded leather palm gloves help reduce vibration. Also feature formfitting fingers and Velcro®-type wrist band for tight fit. Part #103942195 (Medium) Part #103942198 (Large) Part #103942199 (XLarge)

Heavy-Duty Work Gloves

Feature heavy-duty leather palm and fingers. These gloves offer excellent hand and wrist protection from coarse debris. One size fits all. Part #103942074





Specifications, descriptions and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories and may not include all standard equipment.



ECHO Incorporated 400 Oakwood Road Lake Zurich, IL 60047-1564 1-847-540-8400 For customer service, call toll-free, 1-800-673-1558 In Canada, call toll-free, 1-800-700-1358 For your nearest ECHO dealer, call toll free, 1-800-432-ECHO



©2008 ECHO Incorporated All Rights Reserved Printed in the U.S.A. #MKT0800002

www.echo-usa.com